

---

---

---

# Index

---

---

- Absorbing state, 37  
Accessible state, 38  
Acyclic (food web), 234  
Admissible (sequence), 118  
Apportionment, 2  
Approval voting, 49  
Approximation algorithms, 277–83  
Arithmetic mean, 7, 10  
Arrangement with forbidden positions, 160  
Array clustering, 268  
Arrow, Kenneth J., 40  
Arrow's Theorem, 45  
Assignment problem, 299, 301  
Asymmetric, 234  
Asymptotic behavior, 134–35  
Augmenting chain, 415  
Axioms, 58  
    consistent set of, 61  
  
 $(b, v, r, k, \lambda)$ -design, 181  
Balanced incomplete block design, 181  
  
Bandwidth, 370  
Bell number, 98  
BIBD, 181  
Bin packing, 195–99  
Binary relation, 98  
Binary symmetric channel, 78  
Bland (network), 333, 348  
Block, 335  
Block design, 180–83  
Bolyai, Johann, 60  
Borda, Jean-Charles de, 52  
Borda method, 52  
Boundedness, 445  
Boxicity, 231–33  
Burnside's Lemma, 213  
Burnside-Pólya enumeration theory, 205  
  
*CCCP*, 204  
Capacitated  $s, t$ -graph, 410  
Capacity (of a cut), 420  
Capacity (of an edge), 410  
Catalan, Eugene C., 112

- Catalan number ( $c_n$ ), 114
- Caterpillar, 377
- Cayley, Arthur, 245
- Cayley's Theorem, 249
- Chain, 414
  - Markov, 20, 25
- Chinese Postman Problem, 355–56
- Circuit,
  - Euler, 354
  - Hamilton, 252–55, 354
- Class, 97
- Class NP, 193
- Clique, 398
- Clique number, 399
- Clustering, 268
- Code, 74
  - linear, 85
  - minimum distance of, 79
  - perfect, 83
  - triple repetition, 75
  - weight of, 85
- Codeword, 74
- Coding theory, 73–74
- Coffman-Graham algorithm, 194–96
- Communicate, 38
- Competition, 225
- Competition graph, 228
- Competitive exclusion, principle of, 226
- Complement, 230
- Condorcet, marquis de, 51
- Condorcet criterion, 51
- Configuration, 203
- Congruence-class counting problem (*CCCP*), 204
- Congruent (configurations), 204
- Connected (relation), 42
- Connectivity, 373
- Conservative (Petri net), 445
- Consistent (set of axioms), 61
- Contraction, 345–46
- Convex polygon, 128, 151
- Convex set, 151
- Covering, 429
- Critical path, 189
- Cut, 420
- Cut vertex, 334
- Cutwidth, 385
- Cycle, 110
  - disjoint, 212
- Cycle index, 212
- Cycle structure of permutation, 211
- Cyclic decomposition, 110
- Cyclic permutation, 110
- Deadheading, 355
- Deadlock, 445
- Delay, 367
- Density, 336–37
- Diameter, 373
- Dictatorship, 45
- Dijkstra's algorithm, 322–24, 358
- Dilation, 367
  - minimum possible, 368
- Dining philosophers problem, 443
- Direct prey, 234
- Disjoint (cycles), 212
- Distance, 367
- Distance function, 77
- Distribution, 96–97
  - initial probability, 22
- Duplicate vertex, 448
- Ecological niche, 226
- Ecological phase space, 226
- Election procedure, 41–42
  - rational, 48
  - symmetric, 48
- Elimination (tournament), 53
- Elliptic geometry, 60
- Embedding, 366
- Enabled for firing, 436
- Equal proportions, 9, 10, 14
- Equilibrium distribution, 34
- Equivalent Latin square, 176

- Error correcting code, 75–76
- Error string, 87
- $\eta$ -reduction, 347
- Euclid, 59
- Euclidean geometry, 59
- Euler, Leonhard, 266
- Euler circuit, 354
- Exponential generating function, 111
- Externally imposed, 45
- Falling factorial, 102, 134
  - basis, 104
- Finite projective plane, 179–80
- Fired (transition), 436
- First-fit algorithm, 197–98
- First-fit-decreasing algorithm, 198
- Fixed-point set, 214
- Flow graph, 410
- Floyd’s algorithm, 323
- Food web, 227
- Fractional arboricity, 340
- Frobenius, Georg, 314
- Frontier vertex, 448
- Fujii-Ninomiya method, 193–94
- Full binary tree, 127
- Fundamental basis, 104
- Gabai, H., 232
- General possibility theorem, 46
- Generated subgraph, 230
- Generating function, 131
- Generator matrix, 83
- Geometry
  - elliptic, 60
  - Euclidean, 59
  - hyperbolic, 60
- Global index, 5
- Gödel, Kurt, 58
- Gödel number, 65
- Gödel numbering, 64–67
- Gödel’s Undecidability Theorem, 64
- Goldbach, Christian, 58
- Goldbach conjecture, 57–58
- Graph Ramsey number, 153
- Greatest divisors, 8, 11–14
- Grid, 392
- Hamilton circuit, 252–55, 264
- Hamilton, William Rowan, 266
- Hamming, Richard, 76
- Hamming
  - bound, 82
  - code of order  $r$ , 88
  - distance, 76
- Hare quota, 6
- Harmonic mean, 9, 11
- Hedetniemi matrix sum, 324
- Hedetniemi’s algorithm, 324–28
- Hungarian method, 303, 310–313
- Huntington, E. V., 9
- Huntington sequential method, 9
- Hyperbolic geometry, 60
- $(i_1, \dots, i_n, r)$ -Ramsey property, 147
- $(i_1, \dots, i_n; 2)$ -Ramsey property, 146
- $(i, j)$ -Ramsey property, 139
- $I$ -coloring, 403
- Icosian game, 266
- Immediately reachable, 444
- Impossibility theorem, 45
- Inclusion-exclusion principle, 160
- Incomparability graph, 193
- Independence number, 373
- Independence of irrelevant alternatives (IA), 44–46
- Independent
  - edges, 232
  - entries in a matrix, 304
  - experiments, 20
  - set, 373
- Indifference, 46
- Indirect prey, 234
- Induced subgraph, 340
- Initial probability distribution, 22
- Inner triangle, 129

- Input function, 432
- Instant Insanity, 288
- Interconnection network, 366
- Intersection graph, 229
- Interval graph, 229
- Inverse partition, 101
- Isomer, 246
- Iverson truth function, 215
  
- J*-coloring, 403
- Job assignment, 299
  
- k*-bounded, 445
- Kirchoff, Gustav, 245
- Kirkman triple system, 184
- Kirkman's schoolgirl problem, 184
- Knight's tour, 266
- König, Denes, 313
- König's theorem, 429
- Königsberg bridges, 354
- Kuhn, Harold, 313
- Kwan, Mei-Ko, 355
  
- Labeling, 415
- $\lambda$ -method, 7
- Largest fractions, 6, 11
- Latin square, 175
  - orthogonal, 177–78
  - reduced, 176
- Length (of a path), 367
- Lexicographic ordering, 250, 418
- Linear code, 85
- Linear order, 43
- List coloring, 403
- List processing, 197
- Lobachevsky, Nikolai, 60
  
- Major fractions, 7, 11
- Majority election procedure, 51
- Marking (a Petri net), 435
- Markov, Andrei A., 20
- Markov chain, 20, 25
  - regular, 34
- Markov property, 25
- Marriage problem, 300
- Marriage theorem, 314
- Matching, 255, 429
- Mathematical system, 59
- Matrix
  - generator, 83
  - independent entries in, 304
  - of transition probabilities, 26
  - reduced, 307
  - relationship, 268
  - sparse, 369
- Max-flow min-cut algorithm, 423
- Maximum likelihood decoding, 78
- Minimal spanning tree, 251–52
- Minimum distance (of a code), 79
- Minimum possible dilation, 368
- Multi-Parallel Postulate, 60
- Multicoloring, 397
  
- n*-gon, 128
- n*-tuple chromatic number, 397
- n*-tuple coloring, 397
- n*-tuple *T*-coloring, 404
- Nearest neighbor decoding, 77
- Net flow, 412
- No-Parallel Postulate, 60
- Non-Euclidean geometry, 59–60
- Nonnegative (path), 114
- NP complete, 193
  
- Occupancy problem, 96
- Optimal (map), 368
- Optimal solution, 302
- Orbit, 210
- Order
  - linear, 43
  - of a set coloring, 401
  - of a *T*-coloring, 402
- Order requirements digraph, 189
- Ordered partition, 97
- Orientation, 230
- Orthogonal Latin square, 177–78

- Outer triangle, 129
- Output function, 432
- Pairwise balanced, 181
- Paradox, 63
- Parallel computation network, 366
- Parallel Postulate, 59
- Parity check bit, 74
- Parity check matrix, 86
- Partition, 97
- Path, 113, 242, 367
  - length, 367
  - nonnegative, 114
  - of minimum weight, 358
  - positive, 114
  - shortest, 322
- Path graph, 370
- Perfect code, 83
- Perfect matching, 255–59, 314
  - of minimum weight, 361
- Performance guarantee, 278
- Permutation, 205, 369
- Permutation group, 209
- Petri net, 432
  - conservative, 446
  - marking of a, 435
- Place, 432
- Plane triangulation, 349
- Plurality, 52
- Pólya, G., 210
- Pop, 118
- Positive (path), 114
- Positively reflect wills of individuals (PR), 44–46
- Postulate, 58
  - Multi-Parallel, 60
  - No-Parallel, 60
  - Parallel, 59
- Power method, 39
- Precedent, 188
- Predecessor, 188
- Prim's algorithm, 252
- Principia Mathematica*, 62–63
- Problème des ménages*, 159, 173
- Problème des rencontres*, 159, 166
- Producer/consumer problem, 442–43
- Projective plane, 179
- Provable, 67
- Push, 118
- Quota, 4
- Ramsey, Frank, 139
- Ramsey number, 140, 147
- Ramsey property, 139
- Ramsey's Theorem, 142, 147
- Random process, 20
- Rational election procedure (REP), 41, 48
- Reachability, 444
- Reachability tree, 446
- Readers/writers problem, 440–42
- Recurrence relation, 131, 134
- Recurrent state, 33
- Reduced Latin square, 176
- Reduced matrix, 307
- Reduction
  - of a graph, 273
  - of Type I, 274
  - of Type II, 275
- Reed-Muller code, 91
- Reed-Solomon code, 91
- Reflexive (relation), 43
- Regular (Markov chain), 34
- Rejected fractions, method of, 8
- Relation
  - connected, 42
  - induced by action of a group, 210
  - transitive, 42
- Relationship matrix, 268
- Riemann, Georg, 60
- Rook, 160
- Rook polynomial, 163
- Rubik's Magic Cube, 295
- Runoff, 52

- Russell, Bertrand, 62
- Russell's Paradox, 63
- s, t*-cut, 420
- Safe (place), 445
- Sample path, 39
- Scheduling problem, 187
- Schur, Issai, 149
- Schur's Theorem, 149
- Score (of a set coloring), 401
- Sequential election, 51
- Set coloring, 400
- Short Circuit algorithm, 281
- Shortest path, 322
- Shortest path problem, 245, 300
- Shortest weight-constrained path problem, 244
- Signless Stirling number of the first kind, 108
- Sink, 410
- Smallest divisors, 8, 11
- Social welfare function, 41
- Source, 410
- Spanning tree, 245–52
- Sparse (matrix), 369
- Sphere, 81
  - packing bound, 82
- Stabilizer, 214
- Stable, 321
- Stack, 118
- Stack permutation, 118
- Standard basis, 104
- State, 21
  - absorbing, 37
  - accessible, 38
  - recurrent, 33
- State space, 21
- Steiner triple system, 183–84
- Stirling, James, 96
- Stirling number, 96, 112
- Stirling number of the first kind, 96, 105
- Stirling number of the second kind, 96, 98
- Stirling's approximation, 135
- Strength, 343
- Strict preference, 44
- Suitable (string), 125
- Symmetric (election procedure), 48
- Symmetric permutation, 369
- T*-chromatic number, 402
- T*-coloring, 401
- t*-design, 181
- T*-span, 402
- TSP, 263
- 2-connected, 335
- Terminal vertex, 449
- Tic-tac-toe, 203
- Token, 435
- Top, 118
- Total order, 43
- Tournament, 53
- Transient state, 33
- Transition, 432
  - fired, 436
- Transition probability, 22
- Transitive (relation), 42
- Traveling salesman problem (TSP), 252–55, 263
- Triangle inequality (for graphs), 279
- Triangular number, 108
- Triangulation, 128
- Triple repetition code, 75
- Trophic level, 233
- Trophic status, 233
- Turing, Alan, 69
- Undefined term, 58
- Uniformly dense (multigraph), 348
- Unstable, 321
- Variety, 181
- Vertex cover, 321
- Vinton, S. F., 7
- Vinton method, 6–7

Violate lower/upper quota, 15

Weak order, 42

Weakly  $\gamma$ -perfect, 399

Weight (of codeword), 85

Well-formed sequence of parentheses, 117-18

Well-parenthesized product, 122-26

Whitehead, Alfred North, 62