

CONTENTS

Chapter 1

Introduction 1

- 1.1** Power Electronics 1
- 1.2** Converter Classification 1
- 1.3** Power Electronics Concepts 3
- 1.4** Electronic Switches 5
 - The Diode* 6
 - Thyristors* 7
 - Transistors* 8
- 1.5** Switch Selection 11
- 1.6** Spice, PSpice, and Capture 13
- 1.7** Switches in Pspice 14
 - The Voltage-Controlled Switch* 14
 - Transistors* 16
 - Diodes* 17
 - Thyristors (SCRs)* 18
 - Convergence Problems in PSpice* 18
- 1.8** Bibliography 19
- Problems 20

Chapter 2

Power Computations 21

- 2.1** Introduction 21
- 2.2** Power and Energy 21
 - Instantaneous Power* 21
 - Energy* 22
 - Average Power* 22
- 2.3** Inductors and Capacitors 25
- 2.4** Energy Recovery 27

- 2.5** Effective Values: RMS 34

- 2.6** Apparent Power and Power Factor 42
 - Apparent Power S* 42
 - Power Factor* 43

- 2.7** Power Computations for Sinusoidal AC Circuits 43

- 2.8** Power Computations for Nonsinusoidal Periodic Waveforms 44
 - Fourier Series* 45
 - Average Power* 46
 - Nonsinusoidal Source and Linear Load* 46
 - Sinusoidal Source and Nonlinear Load* 48

- 2.9** Power Computations Using PSpice 51

- 2.10** Summary 58

- 2.11** Bibliography 59
- Problems 59

Chapter 3

Half-Wave Rectifiers 65

- 3.1** Introduction 65
- 3.2** Resistive Load 65
 - Creating a DC Component Using an Electronic Switch* 65
- 3.3** Resistive-Inductive Load 67
- 3.4** PSpice Simulation 72
 - Using Simulation Software for Numerical Computations* 72

| | | | | | |
|-------------|---------------------------------------------------------|-----|----------------------------------|-------------------------------------------------------------------|-----|
| 3.5 | <i>RL-Source Load</i> | 75 | <i>Capacitance Output Filter</i> | 122 | |
| | <i>Supplying Power to a DC Source from an AC Source</i> | 75 | <i>Voltage Doublers</i> | 125 | |
| 3.6 | <i>Inductor-Source Load</i> | 79 | <i>LC Filtered Output</i> | 126 | |
| | <i>Using Inductance to Limit Current</i> | 79 | 4.3 | <i>Controlled Full-Wave Rectifiers</i> | 131 |
| 3.7 | <i>The Freewheeling Diode</i> | 81 | | <i>Resistive Load</i> | 131 |
| | <i>Creating a DC Current</i> | 81 | | <i>RL Load, Discontinuous Current</i> | 133 |
| | <i>Reducing Load Current Harmonics</i> | 86 | | <i>RL Load, Continuous Current</i> | 135 |
| 3.8 | <i>Half-Wave Rectifier With a Capacitor Filter</i> | 88 | | <i>PSpice Simulation of Controlled Full-Wave Rectifiers</i> | 139 |
| | <i>Creating a DC Voltage from an AC Source</i> | 88 | | <i>Controlled Rectifier with RL-Source Load</i> | 140 |
| 3.9 | <i>The Controlled Half-Wave Rectifier</i> | 94 | | <i>Controlled Single-Phase Converter Operating as an Inverter</i> | 142 |
| | <i>Resistive Load</i> | 94 | 4.4 | <i>Three-Phase Rectifiers</i> | 144 |
| | <i>RL Load</i> | 96 | 4.5 | <i>Controlled Three-Phase Rectifiers</i> | 149 |
| | <i>RL-Source Load</i> | 98 | | <i>Twelve-Pulse Rectifiers</i> | 151 |
| 3.10 | <i>PSpice Solutions For Controlled Rectifiers</i> | 100 | | <i>The Three-Phase Converter Operating as an Inverter</i> | 154 |
| | <i>Modeling the SCR in PSpice</i> | 100 | 4.6 | <i>DC Power Transmission</i> | 156 |
| 3.11 | <i>Commutation</i> | 103 | 4.7 | <i>Commutation: The Effect of Source Inductance</i> | 160 |
| | <i>The Effect of Source Inductance</i> | 103 | | <i>Single-Phase Bridge Rectifier</i> | 160 |
| 3.12 | <i>Summary</i> | 105 | | <i>Three-Phase Rectifier</i> | 162 |
| 3.13 | <i>Bibliography</i> | 106 | 4.8 | <i>Summary</i> | 163 |
| | <i>Problems</i> | 106 | 4.9 | <i>Bibliography</i> | 164 |
| | | | | <i>Problems</i> | 164 |

Chapter 4**Full-Wave Rectifiers** 111

| | | |
|------------|------------------------------------------------|-----|
| 4.1 | <i>Introduction</i> | 111 |
| 4.2 | <i>Single-Phase Full-Wave Rectifiers</i> | 111 |
| | <i>The Bridge Rectifier</i> | 111 |
| | <i>The Center-Tapped Transformer Rectifier</i> | 114 |
| | <i>Resistive Load</i> | 115 |
| | <i>RL Load</i> | 115 |
| | <i>Source Harmonics</i> | 118 |
| | <i>PSpice Simulation</i> | 119 |
| | <i>RL-Source Load</i> | 120 |

Chapter 5**AC Voltage Controllers** 171

| | | |
|------------|-----------------------------------------------------------------|-----|
| 5.1 | <i>Introduction</i> | 171 |
| 5.2 | <i>The Single-Phase AC Voltage Controller</i> | 171 |
| | <i>Basic Operation</i> | 171 |
| | <i>Single-Phase Controller with a Resistive Load</i> | 173 |
| | <i>Single-Phase Controller with an RL Load</i> | 177 |
| | <i>PSpice Simulation of Single-Phase AC Voltage Controllers</i> | 180 |

| | | | | | |
|------------|---------------------------------------|-----|-------------|---------------------------------------------------|-----|
| 5.3 | Three-Phase Voltage Controllers | 183 | 6.11 | Discontinuous-Current Operation | 241 |
| | <i>Y-Connected Resistive Load</i> | 183 | | <i>Buck Converter with Discontinuous Current</i> | 241 |
| | <i>Y-Connected RL Load</i> | 187 | | <i>Boost Converter with Discontinuous Current</i> | 244 |
| | <i>Delta-Connected Resistive Load</i> | 189 | 6.12 | Switched-Capacitor Converters | 247 |
| 5.4 | Induction Motor Speed Control | 191 | | <i>The Step-Up Switched-Capacitor Converter</i> | 247 |
| 5.5 | Static VAR Control | 191 | | <i>The Inverting Switched-Capacitor Converter</i> | 249 |
| 5.6 | Summary | 192 | | <i>The Step-Down Switched-Capacitor Converter</i> | 250 |
| 5.7 | Bibliography | 193 | 6.13 | PSpice Simulation of DC-DC Converters | 251 |
| | Problems | 193 | | <i>A Switched PSpice Model</i> | 252 |
| | | | | <i>An Averaged Circuit Model</i> | 254 |
| | | | 6.14 | Summary | 259 |
| | | | 6.15 | Bibliography | 259 |
| | | | | Problems | 260 |

Chapter 6

DC-DC Converters 196

| | | |
|-------------|----------------------------------------------------------|-----|
| 6.1 | Linear Voltage Regulators | 196 |
| 6.2 | A Basic Switching Converter | 197 |
| 6.3 | The Buck (Step-Down) Converter | 198 |
| | <i>Voltage and Current Relationships</i> | 198 |
| | <i>Output Voltage Ripple</i> | 204 |
| | <i>Capacitor Resistance—The Effect on Ripple Voltage</i> | 206 |
| | <i>Synchronous Rectification for the Buck Converter</i> | 207 |
| 6.4 | Design Considerations | 207 |
| 6.5 | The Boost Converter | 211 |
| | <i>Voltage and Current Relationships</i> | 211 |
| | <i>Output Voltage Ripple</i> | 215 |
| | <i>Inductor Resistance</i> | 218 |
| 6.6 | The Buck-Boost Converter | 221 |
| | <i>Voltage and Current Relationships</i> | 221 |
| | <i>Output Voltage Ripple</i> | 225 |
| 6.7 | The Ćuk Converter | 226 |
| 6.8 | The Single-Ended Primary Inductance Converter (SEPIC) | 231 |
| 6.9 | Interleaved Converters | 237 |
| 6.10 | Nonideal Switches and Converter Performance | 239 |
| | <i>Switch Voltage Drops</i> | 239 |
| | <i>Switching Losses</i> | 240 |

Chapter 7

DC Power Supplies 265

| | | |
|------------|------------------------------------------------------------|-----|
| 7.1 | Introduction | 265 |
| 7.2 | Transformer Models | 265 |
| 7.3 | The Flyback Converter | 267 |
| | <i>Continuous-Current Mode</i> | 267 |
| | <i>Discontinuous-Current Mode in the Flyback Converter</i> | 275 |
| | <i>Summary of Flyback Converter Operation</i> | 277 |
| 7.4 | The Forward Converter | 277 |
| | <i>Summary of Forward Converter Operation</i> | 283 |
| 7.5 | The Double-Ended (Two-Switch) Forward Converter | 285 |
| 7.6 | The Push-Pull Converter | 287 |
| | <i>Summary of Push-Pull Operation</i> | 290 |
| 7.7 | Full-Bridge and Half-Bridge DC-DC Converters | 291 |

| | | | | | |
|------------------------------------------------------------------------|--------------------------------------------|-----|------------------------------------------------------------------|-----------------------------------------------|-----|
| 7.8 | Current-Fed Converters | 294 | 8.7 | Amplitude and Harmonic Control | 342 |
| 7.9 | Multiple Outputs | 297 | 8.8 | The Half-Bridge Inverter | 346 |
| 7.10 | Converter Selection | 298 | 8.9 | Multilevel Inverters | 348 |
| 7.11 | Power Factor Correction | 299 | <i>Multilevel Converters with Independent DC Sources</i> 349 | | |
| 7.12 | PSpice Simulation of DC Power Supplies | 301 | <i>Equalizing Average Source Power with Pattern Swapping</i> 353 | | |
| 7.13 | Power Supply Control | 302 | <i>Diode-Clamped Multilevel Inverters</i> 354 | | |
| <i>Control Loop Stability</i> 303 | | | 8.10 | Pulse-Width-Modulated Output | 357 |
| <i>Small-Signal Analysis</i> 304 | | | <i>Bipolar Switching</i> 357 | | |
| <i>Switch Transfer Function</i> 305 | | | <i>Unipolar Switching</i> 358 | | |
| <i>Filter Transfer Function</i> 306 | | | 8.11 | PWM Definitions and Considerations | 359 |
| <i>Pulse-Width Modulation Transfer Function</i> 307 | | | 8.12 | PWM Harmonics | 361 |
| <i>Type 2 Error Amplifier with Compensation</i> 308 | | | <i>Bipolar Switching</i> 361 | | |
| <i>Design of a Type 2 Compensated Error Amplifier</i> 311 | | | <i>Unipolar Switching</i> 365 | | |
| <i>PSpice Simulation of Feedback Control</i> 315 | | | 8.13 | Class D Audio Amplifiers | 366 |
| <i>Type 3 Error Amplifier with Compensation</i> 317 | | | 8.14 | Simulation of Pulse-Width-Modulated Inverters | 367 |
| <i>Design of a Type 3 Compensated Error Amplifier</i> 318 | | | <i>Bipolar PWM</i> 367 | | |
| <i>Manual Placement of Poles and Zeros in the Type 3 Amplifier</i> 323 | | | <i>Unipolar PWM</i> 370 | | |
| 7.14 | PWM Control Circuits | 323 | 8.15 | Three-Phase Inverters | 373 |
| 7.15 | The AC Line Filter | 323 | <i>The Six-Step Inverter</i> 373 | | |
| 7.16 | The Complete DC Power Supply | 325 | <i>PWM Three-Phase Inverters</i> 376 | | |
| 7.17 | Bibliography | 326 | <i>Multilevel Three-Phase Inverters</i> 378 | | |
| Problems 327 | | | 8.16 | PSpice Simulation of Three-Phase Inverters | 378 |
| | | | <i>Six-Step Three-Phase Inverters</i> 378 | | |
| | | | <i>PWM Three-Phase Inverters</i> 378 | | |
| Chapter 8 | | | 8.17 | Induction Motor Speed Control | 379 |
| Inverters | 331 | | 8.18 | Summary | 382 |
| 8.1 | Introduction | 331 | 8.19 | Bibliography | 383 |
| 8.2 | The Full-Bridge Converter | 331 | Problems 383 | | |
| 8.3 | The Square-Wave Inverter | 333 | | | |
| 8.4 | Fourier Series Analysis | 337 | | | |
| 8.5 | Total Harmonic Distortion | 339 | | | |
| 8.6 | PSpice Simulation of Square Wave Inverters | 340 | | | |

Chapter 9**Resonant Converters** 387

- 9.1** Introduction 387
- 9.2** A Resonant Switch Converter:
Zero-Current Switching 387
 - Basic Operation* 387
 - Output Voltage* 392
- 9.3** A Resonant Switch Converter:
Zero-Voltage Switching 394
 - Basic Operation* 394
 - Output Voltage* 399
- 9.4** The Series Resonant Inverter 401
 - Switching Losses* 403
 - Amplitude Control* 404
- 9.5** The Series Resonant
DC-DC Converter 407
 - Basic Operation* 407
 - Operation for $\omega_s > \omega_o$* 407
 - Operation for $\omega_0/2 < \omega_s < \omega_0$* 413
 - Operation for $\omega_s < \omega_0/2$* 413
 - Variations on the Series Resonant DC-DC
Converter* 414
- 9.6** The Parallel Resonant
DC-DC Converter 415
- 9.7** The Series-Parallel DC-DC
Converter 418
- 9.8** Resonant Converter Comparison 421
- 9.9** The Resonant DC Link Converter 422
- 9.10** Summary 426
- 9.11** Bibliography 426
 - Problems 427

Chapter 10**Drive Circuits, Snubber Circuits,
and Heat Sinks** 431

- 10.1** Introduction 431
- 10.2** MOSFET and IGBT Drive
Circuits 431
 - Low-Side Drivers* 431
 - High-Side Drivers* 433
- 10.3** Bipolar Transistor Drive
Circuits 437
- 10.4** Thyristor Drive Circuits 440
- 10.5** Transistor Snubber Circuits 441
- 10.6** Energy Recovery Snubber
Circuits 450
- 10.7** Thyristor Snubber Circuits 450
- 10.8** Heat Sinks and Thermal
Management 451
 - Steady-State Temperatures* 451
 - Time-Varying Temperatures* 454
- 10.9** Summary 457
- 10.10** Bibliography 457
 - Problems 458

**Appendix A Fourier Series for Some
Common Waveforms** 461**Appendix B State-Space Averaging** 467**Index** 473