

Appendix A

Statistical Tables

- Table A.1** A Binomial Probability Table
- Table A.2** A Poisson Probability Table
- Table A.3** Cumulative Areas under the Standard Normal Curve
- Table A.4** A t Table: Values of t_α
- Table A.5** A Chi-Square Table: Values of χ_α^2
- Table A.6** An F Table: Values of $F_{.10}$
- Table A.7** An F Table: Values of $F_{.05}$
- Table A.8** An F Table: Values of $F_{.025}$
- Table A.9** An F Table: Values of $F_{.01}$
- Table A.10** Percentage Points of the Studentized Range
- Table A.11** Critical Values for the Durbin–Watson d Statistic ($\alpha = .05$)
- Table A.12** Critical Values for the Durbin–Watson d Statistic ($\alpha = .025$)
- Table A.13** Critical Values for the Durbin–Watson d Statistic ($\alpha = .01$)
- Table A.14** A Table of Areas under the Standard Normal Curve

TABLE A.1 A Binomial Probability Table:
Binomial Probabilities (n between 2 and 6)

$n = 2$		p									
$x \downarrow$.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.9025	.8100	.7225	.6400	.5625	.4900	.4225	.3600	.3025	.2500	2
1	.0950	.1800	.2550	.3200	.3750	.4200	.4550	.4800	.4950	.5000	1
2	.0025	.0100	.0225	.0400	.0625	.0900	.1225	.1600	.2025	.2500	0
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	$x \uparrow$
$n = 3$		p									
$x \downarrow$.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.8574	.7290	.6141	.5120	.4219	.3430	.2746	.2160	.1664	.1250	3
1	.1354	.2430	.3251	.3840	.4219	.4410	.4436	.4320	.4084	.3750	2
2	.0071	.0270	.0574	.0960	.1406	.1890	.2389	.2880	.3341	.3750	1
3	.0001	.0010	.0034	.0080	.0156	.0270	.0429	.0640	.0911	.1250	0
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	$x \uparrow$
$n = 4$		p									
$x \downarrow$.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.8145	.6561	.5220	.4096	.3164	.2401	.1785	.1296	.0915	.0625	4
1	.1715	.2916	.3685	.4096	.4219	.4116	.3845	.3456	.2995	.2500	3
2	.0135	.0486	.0975	.1536	.2109	.2646	.3105	.3456	.3675	.3750	2
3	.0005	.0036	.0115	.0256	.0469	.0756	.1115	.1536	.2005	.2500	1
4	.0000	.0001	.0005	.0016	.0039	.0081	.0150	.0256	.0410	.0625	0
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	$x \uparrow$
$n = 5$		p									
$x \downarrow$.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.7738	.5905	.4437	.3277	.2373	.1681	.1160	.0778	.0503	.0313	5
1	.2036	.3281	.3915	.4096	.3955	.3602	.3124	.2592	.2059	.1563	4
2	.0214	.0729	.1382	.2048	.2637	.3087	.3364	.3456	.3369	.3125	3
3	.0011	.0081	.0244	.0512	.0879	.1323	.1811	.2304	.2757	.3125	2
4	.0000	.0005	.0022	.0064	.0146	.0284	.0488	.0768	.1128	.1563	1
5	.0000	.0000	.0001	.0003	.0010	.0024	.0053	.0102	.0185	.0313	0
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	$x \uparrow$
$n = 6$		p									
$x \downarrow$.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.7351	.5314	.3771	.2621	.1780	.1176	.0754	.0467	.0277	.0156	6
1	.2321	.3543	.3993	.3932	.3560	.3025	.2437	.1866	.1359	.0938	5
2	.0305	.0984	.1762	.2458	.2966	.3241	.3280	.3110	.2780	.2344	4
3	.0021	.0146	.0415	.0819	.1318	.1852	.2355	.2765	.3032	.3125	3
4	.0001	.0012	.0055	.0154	.0330	.0595	.0951	.1382	.1861	.2344	2
5	.0000	.0001	.0004	.0015	.0044	.0102	.0205	.0369	.0609	.0938	1
6	.0000	.0000	.0000	.0001	.0002	.0007	.0018	.0041	.0083	.0156	0
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	$x \uparrow$

(table continued)

TABLE A.1 (continued)
Binomial Probabilities (*n* between 7 and 10)

<i>n</i> = 7		<i>p</i>									
<i>x</i> ↓	.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.6983	.4783	.3206	.2097	.1335	.0824	.0490	.0280	.0152	.0078	7
1	.2573	.3720	.3960	.3670	.3115	.2471	.1848	.1306	.0872	.0547	6
2	.0406	.1240	.2097	.2753	.3115	.3177	.2985	.2613	.2140	.1641	5
3	.0036	.0230	.0617	.1147	.1730	.2269	.2679	.2903	.2918	.2734	4
4	.0002	.0026	.0109	.0287	.0577	.0972	.1442	.1935	.2388	.2734	3
5	.0000	.0002	.0012	.0043	.0115	.0250	.0466	.0774	.1172	.1641	2
6	.0000	.0000	.0001	.0004	.0013	.0036	.0084	.0172	.0320	.0547	1
7	.0000	.0000	.0000	.0000	.0001	.0002	.0006	.0016	.0037	.0078	0
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	<i>x</i> ↑

<i>n</i> = 8		<i>p</i>									
<i>x</i> ↓	.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.6634	.4305	.2725	.1678	.1001	.0576	.0319	.0168	.0084	.0039	8
1	.2793	.3826	.3847	.3355	.2670	.1977	.1373	.0896	.0548	.0313	7
2	.0515	.1488	.2376	.2936	.3115	.2965	.2587	.2090	.1569	.1094	6
3	.0054	.0331	.0839	.1468	.2076	.2541	.2786	.2787	.2568	.2188	5
4	.0004	.0046	.0185	.0459	.0865	.1361	.1875	.2322	.2627	.2734	4
5	.0000	.0004	.0026	.0092	.0231	.0467	.0808	.1239	.1719	.2188	3
6	.0000	.0000	.0002	.0011	.0038	.0100	.0217	.0413	.0703	.1094	2
7	.0000	.0000	.0000	.0001	.0004	.0012	.0033	.0079	.0164	.0313	1
8	.0000	.0000	.0000	.0000	.0000	.0001	.0002	.0007	.0017	.0039	0
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	<i>x</i> ↑

<i>n</i> = 9		<i>p</i>									
<i>x</i> ↓	.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.6302	.3874	.2316	.1342	.0751	.0404	.0207	.0101	.0046	.0020	9
1	.2985	.3874	.3679	.3020	.2253	.1556	.1004	.0605	.0339	.0176	8
2	.0629	.1722	.2597	.3020	.3003	.2668	.2162	.1612	.1110	.0703	7
3	.0077	.0446	.1069	.1762	.2336	.2668	.2716	.2508	.2119	.1641	6
4	.0006	.0074	.0283	.0661	.1168	.1715	.2194	.2508	.2600	.2461	5
5	.0000	.0008	.0050	.0165	.0389	.0735	.1181	.1672	.2128	.2461	4
6	.0000	.0001	.0006	.0028	.0087	.0210	.0424	.0743	.1160	.1641	3
7	.0000	.0000	.0000	.0003	.0012	.0039	.0098	.0212	.0407	.0703	2
8	.0000	.0000	.0000	.0000	.0001	.0004	.0013	.0035	.0083	.0176	1
9	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0003	.0008	.0020	0
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	<i>x</i> ↑

<i>n</i> = 10		<i>p</i>									
<i>x</i> ↓	.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.5987	.3487	.1969	.1074	.0563	.0282	.0135	.0060	.0025	.0010	10
1	.3151	.3874	.3474	.2684	.1877	.1211	.0725	.0403	.0207	.0098	9
2	.0746	.1937	.2759	.3020	.2816	.2335	.1757	.1209	.0763	.0439	8
3	.0105	.0574	.1298	.2013	.2503	.2668	.2522	.2150	.1665	.1172	7
4	.0010	.0112	.0401	.0881	.1460	.2001	.2377	.2508	.2384	.2051	6
5	.0001	.0015	.0085	.0264	.0584	.1029	.1536	.2007	.2340	.2461	5
6	.0000	.0001	.0012	.0055	.0162	.0368	.0689	.1115	.1596	.2051	4
7	.0000	.0000	.0001	.0008	.0031	.0090	.0212	.0425	.0746	.1172	3
8	.0000	.0000	.0000	.0001	.0004	.0014	.0043	.0106	.0229	.0439	2
9	.0000	.0000	.0000	.0000	.0000	.0001	.0005	.0016	.0042	.0098	1
10	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0003	.0010	0
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	<i>x</i> ↑

TABLE A.1 (continued)
Binomial Probabilities (n equal to 12, 14, and 15)

$n = 12$											
	p										
$x \downarrow$.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.5404	.2824	.1422	.0687	.0317	.0138	.0057	.0022	.0008	.0002	12
1	.3413	.3766	.3012	.2062	.1267	.0712	.0368	.0174	.0075	.0029	11
2	.0988	.2301	.2924	.2835	.2323	.1678	.1088	.0639	.0339	.0161	10
3	.0173	.0852	.1720	.2362	.2581	.2397	.1954	.1419	.0923	.0537	9
4	.0021	.0213	.0683	.1329	.1936	.2311	.2367	.2128	.1700	.1208	8
5	.0002	.0038	.0193	.0532	.1032	.1585	.2039	.2270	.2225	.1934	7
6	.0000	.0005	.0040	.0155	.0401	.0792	.1281	.1766	.2124	.2256	6
7	.0000	.0000	.0006	.0033	.0115	.0291	.0591	.1009	.1489	.1934	5
8	.0000	.0000	.0001	.0005	.0024	.0078	.0199	.0420	.0762	.1208	4
9	.0000	.0000	.0000	.0001	.0004	.0015	.0048	.0125	.0277	.0537	3
10	.0000	.0000	.0000	.0000	.0000	.0002	.0008	.0025	.0068	.0161	2
11	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0003	.0010	.0029	1
12	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0002	0
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	$x \uparrow$
$n = 14$											
	p										
$x \downarrow$.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.4877	.2288	.1028	.0440	.0178	.0068	.0024	.0008	.0002	.0001	14
1	.3593	.3559	.2539	.1539	.0832	.0407	.0181	.0073	.0027	.0009	13
2	.1229	.2570	.2912	.2501	.1802	.1134	.0634	.0317	.0141	.0056	12
3	.0259	.1142	.2056	.2501	.2402	.1943	.1366	.0845	.0462	.0222	11
4	.0037	.0349	.0998	.1720	.2202	.2290	.2022	.1549	.1040	.0611	10
5	.0004	.0078	.0352	.0860	.1468	.1963	.2178	.2066	.1701	.1222	9
6	.0000	.0013	.0093	.0322	.0734	.1262	.1759	.2066	.2088	.1833	8
7	.0000	.0002	.0019	.0092	.0280	.0618	.1082	.1574	.1952	.2095	7
8	.0000	.0000	.0003	.0020	.0082	.0232	.0510	.0918	.1398	.1833	6
9	.0000	.0000	.0000	.0003	.0018	.0066	.0183	.0408	.0762	.1222	5
10	.0000	.0000	.0000	.0000	.0003	.0014	.0049	.0136	.0312	.0611	4
11	.0000	.0000	.0000	.0000	.0000	.0002	.0010	.0033	.0093	.0222	3
12	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0005	.0019	.0056	2
13	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0002	.0009	1
14	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	0
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	$x \uparrow$
$n = 15$											
	p										
$x \downarrow$.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.4633	.2059	.0874	.0352	.0134	.0047	.0016	.0005	.0001	.0000	15
1	.3658	.3432	.2312	.1319	.0668	.0305	.0126	.0047	.0016	.0005	14
2	.1348	.2669	.2856	.2309	.1559	.0916	.0476	.0219	.0090	.0032	13
3	.0307	.1285	.2184	.2501	.2252	.1700	.1110	.0634	.0318	.0139	12
4	.0049	.0428	.1156	.1876	.2252	.2186	.1792	.1268	.0780	.0417	11
5	.0006	.0105	.0449	.1032	.1651	.2061	.2123	.1859	.1404	.0916	10
6	.0000	.0019	.0132	.0430	.0917	.1472	.1906	.2066	.1914	.1527	9
7	.0000	.0003	.0030	.0138	.0393	.0811	.1319	.1771	.2013	.1964	8
8	.0000	.0000	.0005	.0035	.0131	.0348	.0710	.1181	.1647	.1964	7
9	.0000	.0000	.0001	.0007	.0034	.0116	.0298	.0612	.1048	.1527	6
10	.0000	.0000	.0000	.0001	.0007	.0030	.0096	.0245	.0515	.0916	5
11	.0000	.0000	.0000	.0000	.0001	.0006	.0024	.0074	.0191	.0417	4
12	.0000	.0000	.0000	.0000	.0000	.0001	.0004	.0016	.0052	.0139	3
13	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0003	.0010	.0032	2
14	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0005	1
15	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	0
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	$x \uparrow$

(table continued)

TABLE A.1 (continued)
Binomial Probabilities (*n* equal to 16 and 18)

<i>n</i> = 16											
	<i>p</i>										
<i>x</i> ↓	.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.4401	.1853	.0743	.0281	.0100	.0033	.0010	.0003	.0001	.0000	16
1	.3706	.3294	.2097	.1126	.0535	.0228	.0087	.0030	.0009	.0002	15
2	.1463	.2745	.2775	.2111	.1336	.0732	.0353	.0150	.0056	.0018	14
3	.0359	.1423	.2285	.2463	.2079	.1465	.0888	.0468	.0215	.0085	13
4	.0061	.0514	.1311	.2001	.2252	.2040	.1553	.1014	.0572	.0278	12
5	.0008	.0137	.0555	.1201	.1802	.2099	.2008	.1623	.1123	.0667	11
6	.0001	.0028	.0180	.0550	.1101	.1649	.1982	.1983	.1684	.1222	10
7	.0000	.0004	.0045	.0197	.0524	.1010	.1524	.1889	.1969	.1746	9
8	.0000	.0001	.0009	.0055	.0197	.0487	.0923	.1417	.1812	.1964	8
9	.0000	.0000	.0001	.0012	.0058	.0185	.0442	.0840	.1318	.1746	7
10	.0000	.0000	.0000	.0002	.0014	.0056	.0167	.0392	.0755	.1222	6
11	.0000	.0000	.0000	.0000	.0002	.0013	.0049	.0142	.0337	.0667	5
12	.0000	.0000	.0000	.0000	.0000	.0002	.0011	.0040	.0115	.0278	4
13	.0000	.0000	.0000	.0000	.0000	.0000	.0002	.0008	.0029	.0085	3
14	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0005	.0018	2
15	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0002	1
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	<i>x</i> ↑
<i>n</i> = 18											
	<i>p</i>										
<i>x</i> ↓	.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.3972	.1501	.0536	.0180	.0056	.0016	.0004	.0001	.0000	.0000	18
1	.3763	.3002	.1704	.0811	.0338	.0126	.0042	.0012	.0003	.0001	17
2	.1683	.2835	.2556	.1723	.0958	.0458	.0190	.0069	.0022	.0006	16
3	.0473	.1680	.2406	.2297	.1704	.1046	.0547	.0246	.0095	.0031	15
4	.0093	.0700	.1592	.2153	.2130	.1681	.1104	.0614	.0291	.0117	14
5	.0014	.0218	.0787	.1507	.1988	.2017	.1664	.1146	.0666	.0327	13
6	.0002	.0052	.0301	.0816	.1436	.1873	.1941	.1655	.1181	.0708	12
7	.0000	.0010	.0091	.0350	.0820	.1376	.1792	.1892	.1657	.1214	11
8	.0000	.0002	.0022	.0120	.0376	.0811	.1327	.1734	.1864	.1669	10
9	.0000	.0000	.0004	.0033	.0139	.0386	.0794	.1284	.1694	.1855	9
10	.0000	.0000	.0001	.0008	.0042	.0149	.0385	.0771	.1248	.1669	8
11	.0000	.0000	.0000	.0001	.0010	.0046	.0151	.0374	.0742	.1214	7
12	.0000	.0000	.0000	.0000	.0002	.0012	.0047	.0145	.0354	.0708	6
13	.0000	.0000	.0000	.0000	.0000	.0002	.0012	.0045	.0134	.0327	5
14	.0000	.0000	.0000	.0000	.0000	.0000	.0002	.0011	.0039	.0117	4
15	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0002	.0009	.0031	3
16	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0006	2
17	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	1
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	<i>x</i> ↑

TABLE A.1 (concluded)
Binomial Probabilities (n equal to 20)

$n = 20$		p									
$x \downarrow$.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	
0	.3585	.1216	.0388	.0115	.0032	.0008	.0002	.0000	.0000	.0000	20
1	.3774	.2702	.1368	.0576	.0211	.0068	.0020	.0005	.0001	.0000	19
2	.1887	.2852	.2293	.1369	.0669	.0278	.0100	.0031	.0008	.0002	18
3	.0596	.1901	.2428	.2054	.1339	.0716	.0323	.0123	.0040	.0011	17
4	.0133	.0898	.1821	.2182	.1897	.1304	.0738	.0350	.0139	.0046	16
5	.0022	.0319	.1028	.1746	.2023	.1789	.1272	.0746	.0365	.0148	15
6	.0003	.0089	.0454	.1091	.1686	.1916	.1712	.1244	.0746	.0370	14
7	.0000	.0020	.0160	.0545	.1124	.1643	.1844	.1659	.1221	.0739	13
8	.0000	.0004	.0046	.0222	.0609	.1144	.1614	.1797	.1623	.1201	12
9	.0000	.0001	.0011	.0074	.0271	.0654	.1158	.1597	.1771	.1602	11
10	.0000	.0000	.0002	.0020	.0099	.0308	.0686	.1171	.1593	.1762	10
11	.0000	.0000	.0000	.0005	.0030	.0120	.0336	.0710	.1185	.1602	9
12	.0000	.0000	.0000	.0001	.0008	.0039	.0136	.0355	.0727	.1201	8
13	.0000	.0000	.0000	.0000	.0002	.0010	.0045	.0146	.0366	.0739	7
14	.0000	.0000	.0000	.0000	.0000	.0002	.0012	.0049	.0150	.0370	6
15	.0000	.0000	.0000	.0000	.0000	.0000	.0003	.0013	.0049	.0148	5
16	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0003	.0013	.0046	4
17	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0002	.0011	3
18	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0002	2
	.95	.90	.85	.80	.75	.70	.65	.60	.55	.50	$x \uparrow$

Source: Binomial Probability Table from *Statistical Thinking for Managers*, 3rd Edition by D. K. Hildebrand & L. Ott, © 1991. Reprinted with permission of South-Western, a division of Thomson Learning, www.thomsonrights.com. Fax 800 730-2215.

TABLE A.2 A Poisson Probability Table
Poisson Probabilities (μ between .1 and 2.0)

x	μ									
	.1	.2	.3	.4	.5	.6	.7	.8	.9	1.0
0	.9048	.8187	.7408	.6703	.6065	.5488	.4966	.4493	.4066	.3679
1	.0905	.1637	.2222	.2681	.3033	.3293	.3476	.3595	.3659	.3679
2	.0045	.0164	.0333	.0536	.0758	.0988	.1217	.1438	.1647	.1839
3	.0002	.0011	.0033	.0072	.0126	.0198	.0284	.0383	.0494	.0613
4	.0000	.0001	.0003	.0007	.0016	.0030	.0050	.0077	.0111	.0153
5	.0000	.0000	.0000	.0001	.0002	.0004	.0007	.0012	.0020	.0031
6	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0002	.0003	.0005
x	μ									
	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	2.0
0	.3329	.3012	.2725	.2466	.2231	.2019	.1827	.1653	.1496	.1353
1	.3662	.3614	.3543	.3452	.3347	.3230	.3106	.2975	.2842	.2707
2	.2014	.2169	.2303	.2417	.2510	.2584	.2640	.2678	.2700	.2707
3	.0738	.0867	.0998	.1128	.1255	.1378	.1496	.1607	.1710	.1804
4	.0203	.0260	.0324	.0395	.0471	.0551	.0636	.0723	.0812	.0902
5	.0045	.0062	.0084	.0111	.0141	.0176	.0216	.0260	.0309	.0361
6	.0008	.0012	.0018	.0026	.0035	.0047	.0061	.0078	.0098	.0120
7	.0001	.0002	.0003	.0005	.0008	.0011	.0015	.0020	.0027	.0034
8	.0000	.0000	.0001	.0001	.0001	.0002	.0003	.0005	.0006	.0009

(table continued)

TABLE A.2 (continued)
Poisson Probabilities (μ between 2.1 and 5.0)

		μ									
x	2.1	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.9	3.0	
0	.1225	.1108	.1003	.0907	.0821	.0743	.0672	.0608	.0550	.0498	
1	.2572	.2438	.2306	.2177	.2052	.1931	.1815	.1703	.1596	.1494	
2	.2700	.2681	.2652	.2613	.2565	.2510	.2450	.2384	.2314	.2240	
3	.1890	.1966	.2033	.2090	.2138	.2176	.2205	.2225	.2237	.2240	
4	.0992	.1082	.1169	.1254	.1336	.1414	.1488	.1557	.1622	.1680	
5	.0417	.0476	.0538	.0602	.0668	.0735	.0804	.0872	.0940	.1008	
6	.0146	.0174	.0206	.0241	.0278	.0319	.0362	.0407	.0455	.0504	
7	.0044	.0055	.0068	.0083	.0099	.0118	.0139	.0163	.0188	.0216	
8	.0011	.0015	.0019	.0025	.0031	.0038	.0047	.0057	.0068	.0081	
9	.0003	.0004	.0005	.0007	.0009	.0011	.0014	.0018	.0022	.0027	
10	.0001	.0001	.0001	.0002	.0002	.0003	.0004	.0005	.0006	.0008	
11	.0000	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0002	.0002	
		μ									
x	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.8	3.9	4.0	
0	.0450	.0408	.0369	.0334	.0302	.0273	.0247	.0224	.0202	.0183	
1	.1397	.1304	.1217	.1135	.1057	.0984	.0915	.0850	.0789	.0733	
2	.2165	.2087	.2008	.1929	.1850	.1771	.1692	.1615	.1539	.1465	
3	.2237	.2226	.2209	.2186	.2158	.2125	.2087	.2046	.2001	.1954	
4	.1733	.1781	.1823	.1858	.1888	.1912	.1931	.1944	.1951	.1954	
5	.1075	.1140	.1203	.1264	.1322	.1377	.1429	.1477	.1522	.1563	
6	.0555	.0608	.0662	.0716	.0771	.0826	.0881	.0936	.0989	.1042	
7	.0246	.0278	.0312	.0348	.0385	.0425	.0466	.0508	.0551	.0595	
8	.0095	.0111	.0129	.0148	.0169	.0191	.0215	.0241	.0269	.0298	
9	.0033	.0040	.0047	.0056	.0066	.0076	.0089	.0102	.0116	.0132	
10	.0010	.0013	.0016	.0019	.0023	.0028	.0033	.0039	.0045	.0053	
11	.0003	.0004	.0005	.0006	.0007	.0009	.0011	.0013	.0016	.0019	
12	.0001	.0001	.0001	.0002	.0002	.0003	.0003	.0004	.0005	.0006	
13	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0002	.0002	
		μ									
x	4.1	4.2	4.3	4.4	4.5	4.6	4.7	4.8	4.9	5.0	
0	.0166	.0150	.0136	.0123	.0111	.0101	.0091	.0082	.0074	.0067	
1	.0679	.0630	.0583	.0540	.0500	.0462	.0427	.0395	.0365	.0337	
2	.1393	.1323	.1254	.1188	.1125	.1063	.1005	.0948	.0894	.0842	
3	.1904	.1852	.1798	.1743	.1687	.1631	.1574	.1517	.1460	.1404	
4	.1951	.1944	.1933	.1917	.1898	.1875	.1849	.1820	.1789	.1755	
5	.1600	.1633	.1662	.1687	.1708	.1725	.1738	.1747	.1753	.1755	
6	.1093	.1143	.1191	.1237	.1281	.1323	.1362	.1398	.1432	.1462	
7	.0640	.0686	.0732	.0778	.0824	.0869	.0914	.0959	.1002	.1044	
8	.0328	.0360	.0393	.0428	.0463	.0500	.0537	.0575	.0614	.0653	
9	.0150	.0168	.0188	.0209	.0232	.0255	.0281	.0307	.0334	.0363	
10	.0061	.0071	.0081	.0092	.0104	.0118	.0132	.0147	.0164	.0181	
11	.0023	.0027	.0032	.0037	.0043	.0049	.0056	.0064	.0073	.0082	
12	.0008	.0009	.0011	.0013	.0016	.0019	.0022	.0026	.0030	.0034	
13	.0002	.0003	.0004	.0005	.0006	.0007	.0008	.0009	.0011	.0013	
14	.0001	.0001	.0001	.0001	.0002	.0002	.0003	.0003	.0004	.0005	
15	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0001	.0002	


TABLE A.2 (concluded)
Poisson Probabilities (μ between 5.5 and 20.0)

x	μ									
	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0
0	.0041	.0025	.0015	.0009	.0006	.0003	.0002	.0001	.0001	.0000
1	.0225	.0149	.0098	.0064	.0041	.0027	.0017	.0011	.0007	.0005
2	.0618	.0446	.0318	.0223	.0156	.0107	.0074	.0050	.0034	.0023
3	.1133	.0892	.0688	.0521	.0389	.0286	.0208	.0150	.0107	.0076
4	.1558	.1339	.1118	.0912	.0729	.0573	.0443	.0337	.0254	.0189
5	.1714	.1606	.1454	.1277	.1094	.0916	.0752	.0607	.0483	.0378
6	.1571	.1606	.1575	.1490	.1367	.1221	.1066	.0911	.0764	.0631
7	.1234	.1377	.1462	.1490	.1465	.1396	.1294	.1171	.1037	.0901
8	.0849	.1033	.1188	.1304	.1373	.1396	.1375	.1318	.1232	.1126
9	.0519	.0688	.0858	.1014	.1144	.1241	.1299	.1318	.1300	.1251
10	.0285	.0413	.0558	.0710	.0858	.0993	.1104	.1186	.1235	.1251
11	.0143	.0225	.0330	.0452	.0585	.0722	.0853	.0970	.1067	.1137
12	.0065	.0113	.0179	.0263	.0366	.0481	.0604	.0728	.0844	.0948
13	.0028	.0052	.0089	.0142	.0211	.0296	.0395	.0504	.0617	.0729
14	.0011	.0022	.0041	.0071	.0113	.0169	.0240	.0324	.0419	.0521
15	.0004	.0009	.0018	.0033	.0057	.0090	.0136	.0194	.0265	.0347
16	.0001	.0003	.0007	.0014	.0026	.0045	.0072	.0109	.0157	.0217
17	.0000	.0001	.0003	.0006	.0012	.0021	.0036	.0058	.0088	.0128
18	.0000	.0000	.0001	.0002	.0005	.0009	.0017	.0029	.0046	.0071
19	.0000	.0000	.0000	.0001	.0002	.0004	.0008	.0014	.0023	.0037
20	.0000	.0000	.0000	.0000	.0001	.0002	.0003	.0006	.0011	.0019
21	.0000	.0000	.0000	.0000	.0000	.0001	.0001	.0003	.0005	.0009
22	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0001	.0002	.0004
23	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0002

x	μ									
	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0
0	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
1	.0002	.0001	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
2	.0010	.0004	.0002	.0001	.0000	.0000	.0000	.0000	.0000	.0000
3	.0037	.0018	.0008	.0004	.0002	.0001	.0000	.0000	.0000	.0000
4	.0102	.0053	.0027	.0013	.0006	.0003	.0001	.0001	.0000	.0000
5	.0224	.0127	.0070	.0037	.0019	.0010	.0005	.0002	.0001	.0001
6	.0411	.0255	.0152	.0087	.0048	.0026	.0014	.0007	.0004	.0002
7	.0646	.0437	.0281	.0174	.0104	.0060	.0034	.0019	.0010	.0005
8	.0888	.0655	.0457	.0304	.0194	.0120	.0072	.0042	.0024	.0013
9	.1085	.0874	.0661	.0473	.0324	.0213	.0135	.0083	.0050	.0029
10	.1194	.1048	.0859	.0663	.0486	.0341	.0230	.0150	.0095	.0058
11	.1194	.1144	.1015	.0844	.0663	.0496	.0355	.0245	.0164	.0106
12	.1094	.1144	.1099	.0984	.0829	.0661	.0504	.0368	.0259	.0176
13	.0926	.1056	.1099	.1060	.0956	.0814	.0658	.0509	.0378	.0271
14	.0728	.0905	.1021	.1060	.1024	.0930	.0800	.0655	.0514	.0387
15	.0534	.0724	.0885	.0989	.1024	.0992	.0906	.0786	.0650	.0516
16	.0367	.0543	.0719	.0866	.0960	.0992	.0963	.0884	.0772	.0646
17	.0237	.0383	.0550	.0713	.0847	.0934	.0963	.0936	.0863	.0760
18	.0145	.0255	.0397	.0554	.0706	.0830	.0909	.0936	.0911	.0844
19	.0084	.0161	.0272	.0409	.0557	.0699	.0814	.0887	.0911	.0888
20	.0046	.0097	.0177	.0286	.0418	.0559	.0692	.0798	.0866	.0888
21	.0024	.0055	.0109	.0191	.0299	.0426	.0560	.0684	.0783	.0846
22	.0012	.0030	.0065	.0121	.0204	.0310	.0433	.0560	.0676	.0769
23	.0006	.0016	.0037	.0074	.0133	.0216	.0320	.0438	.0559	.0669
24	.0003	.0008	.0020	.0043	.0083	.0144	.0226	.0328	.0442	.0557
25	.0001	.0004	.0010	.0024	.0050	.0092	.0154	.0237	.0336	.0446
26	.0000	.0002	.0005	.0013	.0029	.0057	.0101	.0164	.0246	.0343
27	.0000	.0001	.0002	.0007	.0016	.0034	.0063	.0109	.0173	.0254
28	.0000	.0000	.0001	.0003	.0009	.0019	.0038	.0070	.0117	.0181
29	.0000	.0000	.0001	.0002	.0004	.0011	.0023	.0044	.0077	.0125
30	.0000	.0000	.0000	.0001	.0002	.0006	.0013	.0026	.0049	.0083
31	.0000	.0000	.0000	.0000	.0001	.0003	.0007	.0015	.0030	.0054
32	.0000	.0000	.0000	.0000	.0001	.0001	.0004	.0009	.0018	.0034
33	.0000	.0000	.0000	.0000	.0000	.0001	.0002	.0005	.0010	.0020


Source: Computed by D. K. Hildebrand. Found in D. K. Hildebrand and L. Ott, *Statistical Thinking for Managers*, 3rd ed. (Boston, MA: PWS-KENT Publishing Company, 1991).

TABLE A.3 Cumulative Areas under the Standard Normal Curve




z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.9	0.00005	0.00005	0.00004	0.00004	0.00004	0.00004	0.00004	0.00004	0.00003	0.00003
-3.8	0.00007	0.00007	0.00007	0.00006	0.00006	0.00006	0.00006	0.00005	0.00005	0.00005
-3.7	0.00011	0.00010	0.00010	0.00010	0.00009	0.00009	0.00008	0.00008	0.00008	0.00008
-3.6	0.00016	0.00015	0.00015	0.00014	0.00014	0.00013	0.00013	0.00012	0.00012	0.00011
-3.5	0.00023	0.00022	0.00022	0.00021	0.00020	0.00019	0.00019	0.00018	0.00017	0.00017
-3.4	0.00034	0.00032	0.00031	0.00030	0.00029	0.00028	0.00027	0.00026	0.00025	0.00024
-3.3	0.00048	0.00047	0.00045	0.00043	0.00042	0.00040	0.00039	0.00038	0.00036	0.00035
-3.2	0.00069	0.00066	0.00064	0.00062	0.00060	0.00058	0.00056	0.00054	0.00052	0.00050
-3.1	0.00097	0.00094	0.00090	0.00087	0.00084	0.00082	0.00079	0.00076	0.00074	0.00071
-3.0	0.00135	0.00131	0.00126	0.00122	0.00118	0.00114	0.00111	0.00107	0.00103	0.00100
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2482	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641

TABLE A.3 Cumulative Areas under the Standard Normal Curve (*concluded*)



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7518	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.99865	0.99869	0.99874	0.99878	0.99882	0.99886	0.99889	0.99893	0.99897	0.99900
3.1	0.99903	0.99906	0.99910	0.99913	0.99916	0.99918	0.99921	0.99924	0.99926	0.99929
3.2	0.99931	0.99934	0.99936	0.99938	0.99940	0.99942	0.99944	0.99946	0.99948	0.99950
3.3	0.99952	0.99953	0.99955	0.99957	0.99958	0.99960	0.99961	0.99962	0.99964	0.99965
3.4	0.99966	0.99968	0.99969	0.99970	0.99971	0.99972	0.99973	0.99974	0.99975	0.99976
3.5	0.99977	0.99978	0.99978	0.99979	0.99980	0.99981	0.99981	0.99982	0.99983	0.99983
3.6	0.99984	0.99985	0.99985	0.99986	0.99986	0.99987	0.99987	0.99988	0.99988	0.99989
3.7	0.99989	0.99990	0.99990	0.99990	0.99991	0.99991	0.99992	0.99992	0.99992	0.99992
3.8	0.99993	0.99993	0.99993	0.99994	0.99994	0.99994	0.99994	0.99995	0.99995	0.99995
3.9	0.99995	0.99995	0.99996	0.99996	0.99996	0.99996	0.99996	0.99996	0.99997	0.99997

TABLE A.4 A t Table: Values of t_{α} for $df = 1$ through 48

df	$t_{.100}$	$t_{.05}$	$t_{.025}$	$t_{.01}$	$t_{.005}$	$t_{.001}$	$t_{.0005}$
1	3.078	6.314	12.706	31.821	63.657	318.309	636.619
2	1.886	2.920	4.303	6.965	9.925	22.327	31.599
3	1.638	2.353	3.182	4.541	5.841	10.215	12.924
4	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	1.319	1.714	2.069	2.500	2.807	3.485	3.768
24	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	1.310	1.697	2.042	2.457	2.750	3.385	3.646
31	1.309	1.696	2.040	2.453	2.744	3.375	3.633
32	1.309	1.694	2.037	2.449	2.738	3.365	3.622
33	1.308	1.692	2.035	2.445	2.733	3.356	3.611
34	1.307	1.691	2.032	2.441	2.728	3.348	3.601
35	1.306	1.690	2.030	2.438	2.724	3.340	3.591
36	1.306	1.688	2.028	2.434	2.719	3.333	3.582
37	1.305	1.687	2.026	2.431	2.715	3.326	3.574
38	1.304	1.686	2.024	2.429	2.712	3.319	3.566
39	1.304	1.685	2.023	2.426	2.708	3.313	3.558
40	1.303	1.684	2.021	2.423	2.704	3.307	3.551
41	1.303	1.683	2.020	2.421	2.701	3.301	3.544
42	1.302	1.682	2.018	2.418	2.698	3.296	3.538
43	1.302	1.681	2.017	2.416	2.695	3.291	3.532
44	1.301	1.680	2.015	2.414	2.692	3.286	3.526
45	1.301	1.679	2.014	2.412	2.690	3.281	3.520
46	1.300	1.679	2.013	2.410	2.687	3.277	3.515
47	1.300	1.678	2.012	2.408	2.685	3.273	3.510
48	1.299	1.677	2.011	2.407	2.682	3.269	3.505


TABLE A.4 (concluded)

A t Table: Values of t_{α} for $df = 49$ through 100 , 120 , and ∞

df	$t_{.100}$	$t_{.05}$	$t_{.025}$	$t_{.01}$	$t_{.005}$	$t_{.001}$	$t_{.0005}$
49	1.299	1.677	2.010	2.405	2.680	3.265	3.500
50	1.299	1.676	2.009	2.403	2.678	3.261	3.496
51	1.298	1.675	2.008	2.402	2.676	3.258	3.492
52	1.298	1.675	2.007	2.400	2.674	3.255	3.488
53	1.298	1.674	2.006	2.399	2.672	3.251	3.484
54	1.297	1.674	2.005	2.397	2.670	3.248	3.480
55	1.297	1.673	2.004	2.396	2.668	3.245	3.476
56	1.297	1.673	2.003	2.395	2.667	3.242	3.473
57	1.297	1.672	2.002	2.394	2.665	3.239	3.470
58	1.296	1.672	2.002	2.392	2.663	3.237	3.466
59	1.296	1.671	2.001	2.391	2.662	3.234	3.463
60	1.296	1.671	2.000	2.390	2.660	3.232	3.460
61	1.296	1.670	2.000	2.389	2.659	3.229	3.457
62	1.295	1.670	1.999	2.388	2.657	3.227	3.454
63	1.295	1.669	1.998	2.387	2.656	3.225	3.452
64	1.295	1.669	1.998	2.386	2.655	3.223	3.449
65	1.295	1.669	1.997	2.385	2.654	3.220	3.447
66	1.295	1.668	1.997	2.384	2.652	3.218	3.444
67	1.294	1.668	1.996	2.383	2.651	3.216	3.442
68	1.294	1.668	1.995	2.382	2.650	3.214	3.439
69	1.294	1.667	1.995	2.382	2.649	3.213	3.437
70	1.294	1.667	1.994	2.381	2.648	3.211	3.435
71	1.294	1.667	1.994	2.380	2.647	3.209	3.433
72	1.293	1.666	1.993	2.379	2.646	3.207	3.431
73	1.293	1.666	1.993	2.379	2.645	3.206	3.429
74	1.293	1.666	1.993	2.378	2.644	3.204	3.427
75	1.293	1.665	1.992	2.377	2.643	3.202	3.425
76	1.293	1.665	1.992	2.376	2.642	3.201	3.423
77	1.293	1.665	1.991	2.376	2.641	3.199	3.421
78	1.292	1.665	1.991	2.375	2.640	3.198	3.420
79	1.292	1.664	1.990	2.374	2.640	3.197	3.418
80	1.292	1.664	1.990	2.374	2.639	3.195	3.416
81	1.292	1.664	1.990	2.373	2.638	3.194	3.415
82	1.292	1.664	1.989	2.373	2.637	3.193	3.413
83	1.292	1.663	1.989	2.372	2.636	3.191	3.412
84	1.292	1.663	1.989	2.372	2.636	3.190	3.410
85	1.292	1.663	1.988	2.371	2.635	3.189	3.409
86	1.291	1.663	1.988	2.370	2.634	3.188	3.407
87	1.291	1.663	1.988	2.370	2.634	3.187	3.406
88	1.291	1.662	1.987	2.369	2.633	3.185	3.405
89	1.291	1.662	1.987	2.369	2.632	3.184	3.403
90	1.291	1.662	1.987	2.368	2.632	3.183	3.402
91	1.291	1.662	1.986	2.368	2.631	3.182	3.401
92	1.291	1.662	1.986	2.368	2.630	3.181	3.399
93	1.291	1.661	1.986	2.367	2.630	3.180	3.398
94	1.291	1.661	1.986	2.367	2.629	3.179	3.397
95	1.291	1.661	1.985	2.366	2.629	3.178	3.396
96	1.290	1.661	1.985	2.366	2.628	3.177	3.395
97	1.290	1.661	1.985	2.365	2.627	3.176	3.394
98	1.290	1.661	1.984	2.365	2.627	3.175	3.393
99	1.290	1.660	1.984	2.365	2.626	3.175	3.392
100	1.290	1.660	1.984	2.364	2.626	3.174	3.390
120	1.289	1.658	1.980	2.358	2.617	3.160	3.373
∞	1.282	1.645	1.960	2.326	2.576	3.090	3.291

Source: Provided by J. B. Orris using Excel.


TABLE A.5 A Chi-Square Table: Values of χ^2_α



df	$\chi^2_{.995}$	$\chi^2_{.99}$	$\chi^2_{.975}$	$\chi^2_{.95}$	$\chi^2_{.90}$	$\chi^2_{.10}$	$\chi^2_{.05}$	$\chi^2_{.025}$	$\chi^2_{.01}$	$\chi^2_{.005}$
1	.0000393	.0001571	.0009821	.0039321	.0157908	2.70554	3.84146	5.02389	6.63490	7.87944
2	.0100251	.0201007	.0506356	.102587	.210720	4.60517	5.99147	7.37776	9.21034	10.5966
3	.0717212	.114832	.215795	.341846	.584375	6.25139	7.81473	9.34840	11.3449	12.8381
4	.206990	.297110	.484419	.710721	1.063623	7.77944	9.48773	11.1433	13.2767	14.8602
5	.411740	.554300	.831211	1.145476	1.61031	9.23635	11.0705	12.8325	15.0863	16.7496
6	.675727	.872085	1.237347	1.63539	2.20413	10.6446	12.5916	14.4494	16.8119	18.5476
7	.989265	1.239043	1.68987	2.16735	2.83311	12.0170	14.0671	16.0128	18.4753	20.2777
8	1.344419	1.646482	2.17973	2.73264	3.48954	13.3616	15.5073	17.5346	20.0902	21.9550
9	1.734926	2.087912	2.70039	3.32511	4.16816	14.6837	16.9190	19.0228	21.6660	23.5893
10	2.15585	2.55821	3.24697	3.94030	4.86518	15.9871	18.3070	20.4831	23.2093	25.1882
11	2.60321	3.05347	3.81575	4.57481	5.57779	17.2750	19.6751	21.9200	24.7250	26.7569
12	3.07382	3.57056	4.40379	5.22603	6.30380	18.5494	21.0261	23.3367	26.2170	28.2995
13	3.56503	4.10691	5.00874	5.89186	7.04150	19.8119	22.3621	24.7356	27.6883	29.8194
14	4.07468	4.66043	5.62872	6.57063	7.78953	21.0642	23.6848	26.1190	29.1413	31.3193
15	4.60094	5.22935	6.26214	7.26094	8.54675	22.3072	24.9958	27.4884	30.5779	32.8013
16	5.14224	5.81221	6.90766	7.96164	9.31223	23.5418	26.2962	28.8454	31.9999	34.2672
17	5.69724	6.40776	7.56418	8.67176	10.0852	24.7690	27.5871	30.1910	33.4087	35.7185
18	6.26481	7.01491	8.23075	9.39046	10.8649	25.9894	28.8693	31.5264	34.8053	37.1564
19	6.84398	7.63273	8.90655	10.1170	11.6509	27.2036	30.1435	32.8523	36.1908	38.5822
20	7.43386	8.26040	9.59083	10.8508	12.4426	28.4120	31.4104	34.1696	37.5662	39.9968
21	8.03366	8.89720	10.28293	11.5913	13.2396	29.6151	32.6705	35.4789	38.9321	41.4010
22	8.64272	9.54249	10.9823	12.3380	14.0415	30.8133	33.9244	36.7807	40.2894	42.7956
23	9.26042	10.19567	11.6885	13.0905	14.8479	32.0069	35.1725	38.0757	41.6384	44.1813
24	9.88623	10.8564	12.4011	13.8484	15.6587	33.1963	36.4151	39.3641	42.9798	45.5585
25	10.5197	11.5240	13.1197	14.6114	16.4734	34.3816	37.6525	40.6465	44.3141	46.9278
26	11.1603	12.1981	13.8439	15.3791	17.2919	35.5631	38.8852	41.9232	45.6417	48.2899
27	11.8076	12.8786	14.5733	16.1513	18.1138	36.7412	40.1133	43.1944	46.9630	49.6449
28	12.4613	13.5648	15.3079	16.9279	18.9392	37.9159	41.3372	44.4607	48.2782	50.9933
29	13.1211	14.2565	16.0471	17.7083	19.7677	39.0875	42.5569	45.7222	49.5879	52.3356
30	13.7867	14.9535	16.7908	18.4926	20.5992	40.2560	43.7729	46.9792	50.8922	53.6720
40	20.7065	22.1643	24.4331	26.5093	29.0505	51.8050	55.7585	59.3417	63.6907	66.7659
50	27.9907	29.7067	32.3574	34.7642	37.6886	63.1671	67.5048	71.4202	76.1539	79.4900
60	35.5346	37.4848	40.4817	43.1879	46.4589	74.3970	79.0819	83.2976	88.3794	91.9517
70	43.2752	45.4418	48.7576	51.7393	55.3290	85.5271	90.5312	95.0231	100.425	104.215
80	51.1720	53.5400	57.1532	60.3915	64.2778	96.5782	101.879	106.629	112.329	116.321
90	59.1963	61.7541	65.6466	69.1260	73.2912	107.565	113.145	118.136	124.116	128.299
100	67.3276	70.0648	74.2219	77.9295	82.3581	118.498	124.342	129.561	135.807	140.169

Source: C. M. Thompson, "Tables of the Percentage Points of the χ^2 Distribution," *Biometrika* 32 (1941), pp. 188-89. Reproduced by permission of the Biometrika Trustees.


TABLE A.6 An F Table: Values of $F_{.10}$



		Numerator Degrees of Freedom (df_1)																		
df_2	df_1	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	1	39.86	49.50	53.59	55.83	57.24	58.20	58.91	59.44	59.86	60.19	60.71	61.22	61.74	62.00	62.26	62.53	62.79	63.06	63.33
2	1	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38	9.39	9.41	9.42	9.44	9.45	9.46	9.47	9.47	9.48	9.49
3	1	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24	5.23	5.22	5.20	5.18	5.18	5.17	5.16	5.15	5.14	5.13
4	1	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94	3.92	3.90	3.87	3.84	3.83	3.82	3.80	3.79	3.78	3.76
5	1	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32	3.30	3.27	3.24	3.21	3.19	3.17	3.16	3.14	3.12	3.10
6	1	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96	2.94	2.90	2.87	2.84	2.82	2.80	2.78	2.76	2.74	2.72
7	1	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72	2.70	2.67	2.63	2.59	2.58	2.56	2.54	2.51	2.49	2.47
8	1	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56	2.54	2.50	2.46	2.42	2.40	2.38	2.36	2.34	2.32	2.29
9	1	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44	2.42	2.38	2.34	2.30	2.28	2.25	2.23	2.21	2.18	2.16
10	1	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35	2.32	2.28	2.24	2.20	2.18	2.16	2.13	2.11	2.08	2.06
11	1	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27	2.25	2.21	2.17	2.12	2.10	2.08	2.05	2.03	2.00	1.97
12	1	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	2.19	2.15	2.10	2.06	2.04	2.01	1.99	1.96	1.93	1.90
13	1	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16	2.14	2.10	2.05	2.01	1.98	1.96	1.93	1.90	1.88	1.85
14	1	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	2.10	2.05	2.01	1.96	1.94	1.91	1.89	1.86	1.83	1.80
15	1	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	2.06	2.02	1.97	1.92	1.90	1.87	1.85	1.82	1.79	1.76
16	1	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06	2.03	1.99	1.94	1.89	1.87	1.84	1.81	1.78	1.75	1.72
17	1	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03	2.00	1.96	1.91	1.86	1.84	1.81	1.78	1.75	1.72	1.69
18	1	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	1.98	1.93	1.89	1.84	1.81	1.78	1.75	1.72	1.69	1.66
19	1	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98	1.96	1.91	1.86	1.81	1.79	1.76	1.73	1.70	1.67	1.63
20	1	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96	1.94	1.89	1.84	1.79	1.77	1.74	1.71	1.68	1.64	1.61
21	1	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95	1.92	1.87	1.83	1.78	1.75	1.72	1.69	1.66	1.62	1.59
22	1	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93	1.90	1.86	1.81	1.76	1.73	1.70	1.67	1.64	1.60	1.57
23	1	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92	1.89	1.84	1.80	1.74	1.72	1.69	1.66	1.62	1.59	1.55
24	1	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91	1.88	1.83	1.78	1.73	1.70	1.67	1.64	1.61	1.57	1.53
25	1	2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89	1.87	1.82	1.77	1.72	1.69	1.66	1.63	1.59	1.56	1.52
26	1	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88	1.85	1.81	1.76	1.71	1.68	1.65	1.61	1.58	1.54	1.50
27	1	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87	1.85	1.80	1.75	1.70	1.67	1.64	1.60	1.57	1.53	1.49
28	1	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87	1.84	1.79	1.74	1.69	1.66	1.63	1.59	1.56	1.52	1.48
29	1	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.86	1.83	1.78	1.73	1.68	1.65	1.62	1.58	1.55	1.51	1.47
30	1	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85	1.82	1.77	1.72	1.67	1.64	1.61	1.57	1.54	1.50	1.46
40	1	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79	1.76	1.71	1.66	1.61	1.57	1.54	1.51	1.47	1.42	1.38
60	1	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	1.71	1.66	1.60	1.54	1.51	1.48	1.44	1.40	1.35	1.29
120	1	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68	1.65	1.60	1.55	1.48	1.45	1.41	1.37	1.32	1.26	1.19
∞	1	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63	1.60	1.55	1.49	1.42	1.38	1.34	1.30	1.24	1.17	1.00

Source: M. Merrington and C. M. Thompson, "Tables of Percentage Points of the Inverted Beta (F)-Distribution," *Biometrika* 33 (1943), pp. 73-88. Reproduced by permission of the Biometrika Trustees.


TABLE A.7 An F Table: Values of $F_{.05}$



		Numerator Degrees of Freedom (df_1)																		
df_2		1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5	241.9	243.9	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3	
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.48	19.49	19.50
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53	
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63	
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36	
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67	
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23	
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93	
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71	
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54	
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40	
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30	
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21	
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13	
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07	
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01	
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96	
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92	
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88	
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84	
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81	
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78	
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76	
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73	
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71	
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69	
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67	
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65	
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64	
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62	
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51	
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39	
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25	
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00	

Source: M. Merrington and C. M. Thompson, "Tables of Percentage Points of the Inverted Beta (F)-Distribution," *Biometrika* 33 (1943), pp. 73-88. Reproduced by permission of the Biometrika Trustees.


TABLE A. 8 An F Table: Values of $F_{.025}$



$df_2 \backslash df_1$		Numerator Degrees of Freedom (df_1)																		
		1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	647.8	799.5	864.2	899.6	921.8	937.1	948.2	956.7	963.3	968.6	976.7	984.9	993.1	997.2	1,001	1,006	1,010	1,014	1,018	1,018
2	38.51	39.00	39.17	39.25	39.30	39.33	39.36	39.37	39.39	39.40	39.41	39.43	39.45	39.46	39.46	39.47	39.48	39.49	39.50	39.50
3	17.44	16.04	15.44	15.10	14.88	14.73	14.62	14.54	14.47	14.42	14.34	14.25	14.17	14.12	14.08	14.04	13.99	13.95	13.90	13.90
4	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90	8.84	8.75	8.66	8.56	8.51	8.46	8.41	8.36	8.31	8.26	8.26
5	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68	6.62	6.52	6.43	6.33	6.28	6.23	6.18	6.12	6.07	6.02	6.02
6	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52	5.46	5.37	5.27	5.17	5.12	5.07	5.01	4.96	4.90	4.85	4.85
7	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82	4.76	4.67	4.57	4.47	4.42	4.36	4.31	4.25	4.20	4.14	4.14
8	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36	4.30	4.20	4.10	4.00	3.95	3.89	3.84	3.78	3.73	3.67	3.67
9	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03	3.96	3.87	3.77	3.67	3.61	3.56	3.51	3.45	3.39	3.33	3.33
10	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78	3.72	3.62	3.52	3.42	3.37	3.31	3.26	3.20	3.14	3.08	3.08
11	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.59	3.53	3.43	3.33	3.23	3.17	3.12	3.06	3.00	2.94	2.88	2.88
12	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44	3.37	3.28	3.18	3.07	3.02	2.96	2.91	2.85	2.79	2.72	2.72
13	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.31	3.25	3.15	3.05	2.95	2.89	2.84	2.78	2.72	2.66	2.60	2.60
14	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.21	3.15	3.05	2.95	2.84	2.79	2.73	2.67	2.61	2.55	2.49	2.49
15	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12	3.06	2.96	2.86	2.76	2.70	2.64	2.59	2.52	2.46	2.40	2.40
16	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	3.05	2.99	2.89	2.79	2.68	2.63	2.57	2.51	2.45	2.38	2.32	2.32
17	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.98	2.92	2.82	2.72	2.62	2.56	2.50	2.44	2.38	2.32	2.25	2.25
18	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.93	2.87	2.77	2.67	2.56	2.50	2.44	2.38	2.32	2.26	2.19	2.19
19	5.92	4.51	3.90	3.56	3.33	3.17	3.05	2.96	2.88	2.82	2.72	2.62	2.51	2.45	2.39	2.33	2.27	2.20	2.13	2.13
20	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84	2.77	2.68	2.57	2.46	2.41	2.35	2.29	2.22	2.16	2.09	2.09
21	5.83	4.42	3.82	3.48	3.25	3.09	2.97	2.87	2.80	2.73	2.64	2.53	2.42	2.37	2.31	2.25	2.18	2.11	2.04	2.04
22	5.79	4.38	3.78	3.44	3.22	3.05	2.93	2.84	2.76	2.70	2.60	2.50	2.39	2.33	2.27	2.21	2.14	2.08	2.00	2.00
23	5.75	4.35	3.75	3.41	3.18	3.02	2.90	2.81	2.73	2.67	2.57	2.47	2.36	2.30	2.24	2.18	2.11	2.04	1.97	1.97
24	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70	2.64	2.54	2.44	2.33	2.27	2.21	2.15	2.08	2.01	1.94	1.94
25	5.69	4.29	3.69	3.35	3.13	2.97	2.85	2.75	2.68	2.61	2.51	2.41	2.30	2.24	2.18	2.12	2.05	1.98	1.91	1.91
26	5.66	4.27	3.67	3.33	3.10	2.94	2.82	2.73	2.65	2.59	2.49	2.39	2.28	2.22	2.16	2.09	2.03	1.95	1.88	1.88
27	5.63	4.24	3.65	3.31	3.08	2.92	2.80	2.71	2.63	2.57	2.47	2.36	2.25	2.19	2.13	2.07	2.00	1.93	1.85	1.85
28	5.61	4.22	3.63	3.29	3.06	2.90	2.78	2.69	2.61	2.55	2.45	2.34	2.23	2.17	2.11	2.05	1.98	1.91	1.83	1.83
29	5.59	4.20	3.61	3.27	3.04	2.88	2.76	2.67	2.59	2.53	2.43	2.32	2.21	2.15	2.09	2.03	1.96	1.89	1.81	1.81
30	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57	2.51	2.41	2.31	2.20	2.14	2.07	2.01	1.94	1.87	1.79	1.79
40	5.42	4.05	3.46	3.13	2.90	2.74	2.62	2.53	2.45	2.39	2.29	2.18	2.07	2.01	1.94	1.88	1.80	1.72	1.64	1.64
60	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33	2.27	2.17	2.06	1.94	1.88	1.82	1.74	1.67	1.58	1.48	1.48
120	5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.22	2.16	2.05	1.94	1.82	1.76	1.69	1.61	1.53	1.43	1.31	1.31
∞	5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.11	2.05	1.94	1.83	1.71	1.64	1.57	1.48	1.39	1.27	1.10	1.10

Source: M. Merrington and C. M. Thompson, "Tables of Percentage Points of the Inverted Beta (F)-Distribution," *Biometrika* 33 (1943), pp. 73-88. Reproduced by permission of the Biometrika Trustees.

TABLE A.9 An F Table: Values of $F_{.01}$



$df_1 \backslash df_2$	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	4.052	4,999.5	5,403	5,625	5,764	5,859	5,928	5,982	6,022	6,056	6,106	6,157	6,209	6,235	6,261	6,287	6,313	6,339	6,366
2	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40	99.42	99.43	99.45	99.46	99.47	99.47	99.48	99.49	99.50
3	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35	27.23	27.05	26.87	26.69	26.60	26.50	26.41	26.32	26.22	26.13
4	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66	14.55	14.37	14.20	14.02	13.93	13.84	13.75	13.65	13.56	13.46
5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05	9.89	9.72	9.55	9.47	9.38	9.29	9.20	9.11	9.02
6	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.72	7.56	7.40	7.31	7.23	7.14	7.06	6.97	6.88
7	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62	6.47	6.31	6.16	6.07	5.99	5.91	5.82	5.74	5.65
8	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.67	5.52	5.36	5.28	5.20	5.12	5.03	4.95	4.86
9	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26	5.11	4.96	4.81	4.73	4.65	4.57	4.48	4.40	4.31
10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	4.71	4.56	4.41	4.33	4.25	4.17	4.08	4.00	3.91
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	4.40	4.25	4.10	4.02	3.94	3.86	3.78	3.69	3.60
12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.44	4.30	4.19	4.10	3.96	3.82	3.75	3.67	3.60	3.54	3.45	3.36
13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10	3.96	3.82	3.68	3.61	3.53	3.46	3.40	3.31	3.22
14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.80	3.66	3.51	3.43	3.35	3.27	3.18	3.09	3.00
15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.67	3.52	3.37	3.29	3.21	3.13	3.05	2.96	2.87
16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.55	3.41	3.26	3.18	3.10	3.02	2.93	2.84	2.75
17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.46	3.31	3.16	3.08	3.00	2.92	2.83	2.75	2.65
18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51	3.37	3.23	3.08	3.00	2.92	2.84	2.75	2.66	2.57
19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.30	3.15	3.00	2.92	2.84	2.76	2.67	2.58	2.49
20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37	3.23	3.09	2.94	2.86	2.78	2.69	2.61	2.52	2.42
21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31	3.17	3.03	2.88	2.80	2.72	2.64	2.55	2.46	2.36
22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26	3.12	2.98	2.83	2.75	2.67	2.58	2.50	2.40	2.31
23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21	3.07	2.93	2.78	2.70	2.62	2.54	2.45	2.35	2.26
24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	3.03	2.89	2.74	2.66	2.58	2.49	2.40	2.31	2.21
25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13	2.99	2.85	2.70	2.62	2.54	2.45	2.36	2.27	2.17
26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09	2.96	2.81	2.66	2.58	2.50	2.42	2.33	2.23	2.13
27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06	2.93	2.78	2.63	2.55	2.47	2.38	2.29	2.20	2.10
28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03	2.90	2.75	2.60	2.52	2.44	2.35	2.26	2.17	2.06
29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00	2.87	2.73	2.57	2.49	2.41	2.33	2.23	2.14	2.03
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	2.84	2.70	2.55	2.47	2.39	2.30	2.21	2.11	2.01
40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80	2.66	2.52	2.37	2.29	2.20	2.11	2.02	1.92	1.80
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.50	2.35	2.20	2.12	2.03	1.94	1.84	1.73	1.60
120	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47	2.34	2.19	2.03	1.95	1.86	1.76	1.66	1.53	1.38
∞	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32	2.18	2.04	1.88	1.79	1.70	1.59	1.47	1.32	1.00

Source: M. Merrington and C. M. Thompson, "Tables of Percentage Points of the Inverted Beta (F)-Distribution," *Biometrika* 33 (1943), pp. 73-88. Reproduced by permission of the Biometrika Trustees.

TABLE A.10 Percentage Points of the Studentized Range
(Note: r is the "first value" and v is the "second value" referred to in Chapter 11.)

Entry is $q_{.05}$

	r																			
v	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	18.0	27.0	32.8	37.1	40.4	43.1	45.4	47.4	49.1	50.6	52.0	53.2	54.3	55.4	56.3	57.2	58.0	58.8	59.6	
2	6.08	8.33	9.80	10.9	11.7	12.4	13.0	13.5	14.0	14.4	14.7	15.1	15.4	15.7	15.9	16.1	16.4	16.6	16.8	
3	4.50	5.91	6.82	7.50	8.04	8.48	8.85	9.18	9.46	9.72	9.95	10.2	10.3	10.5	10.7	10.8	11.0	11.1	11.2	
4	3.93	5.04	5.76	6.29	6.71	7.05	7.35	7.60	7.83	8.03	8.21	8.37	8.52	8.66	8.79	8.91	9.03	9.13	9.23	
5	3.64	4.60	5.22	5.67	6.03	6.33	6.58	6.80	6.99	7.17	7.32	7.47	7.60	7.72	7.83	7.93	8.03	8.12	8.21	
6	3.46	4.34	4.90	5.30	5.63	5.90	6.12	6.32	6.49	6.65	6.79	6.92	7.03	7.14	7.24	7.34	7.43	7.51	7.59	
7	3.34	4.16	4.68	5.06	5.36	5.61	5.82	6.00	6.16	6.30	6.43	6.55	6.66	6.76	6.85	6.94	7.02	7.10	7.17	
8	3.26	4.04	4.53	4.89	5.17	5.40	5.60	5.77	5.92	6.05	6.18	6.29	6.39	6.48	6.57	6.65	6.73	6.80	6.87	
9	3.20	3.95	4.41	4.76	5.02	5.24	5.43	5.59	5.74	5.87	5.98	6.09	6.19	6.28	6.36	6.44	6.51	6.58	6.64	
10	3.15	3.88	4.33	4.65	4.91	5.12	5.30	5.46	5.60	5.72	5.83	5.93	6.03	6.11	6.19	6.27	6.34	6.40	6.47	
11	3.11	3.82	4.26	4.57	4.82	5.03	5.20	5.35	5.49	5.61	5.71	5.81	5.90	5.98	6.06	6.13	6.20	6.27	6.33	
12	3.08	3.77	4.20	4.51	4.75	4.95	5.12	5.27	5.39	5.51	5.61	5.71	5.80	5.88	5.95	6.02	6.09	6.15	6.21	
13	3.06	3.73	4.15	4.45	4.69	4.88	5.05	5.19	5.32	5.43	5.53	5.63	5.71	5.79	5.86	5.93	5.99	6.05	6.11	
14	3.03	3.70	4.11	4.41	4.64	4.83	4.99	5.13	5.25	5.36	5.46	5.55	5.64	5.71	5.79	5.85	5.91	5.97	6.03	
15	3.01	3.67	4.08	4.37	4.59	4.78	4.94	5.08	5.20	5.31	5.40	5.49	5.57	5.65	5.72	5.78	5.85	5.90	5.96	
16	3.00	3.65	4.05	4.33	4.56	4.74	4.90	5.03	5.15	5.26	5.35	5.44	5.52	5.59	5.66	5.73	5.79	5.84	5.90	
17	2.98	3.63	4.02	4.30	4.52	4.70	4.86	4.99	5.11	5.21	5.31	5.39	5.47	5.54	5.61	5.67	5.73	5.79	5.84	
18	2.97	3.61	4.00	4.28	4.49	4.67	4.82	4.96	5.07	5.17	5.27	5.35	5.43	5.50	5.57	5.63	5.69	5.74	5.79	
19	2.96	3.59	3.98	4.25	4.47	4.65	4.79	4.92	5.04	5.14	5.23	5.31	5.39	5.46	5.53	5.59	5.65	5.70	5.75	
20	2.95	3.58	3.96	4.23	4.45	4.62	4.77	4.90	5.01	5.11	5.20	5.28	5.36	5.43	5.49	5.55	5.61	5.66	5.71	
24	2.92	3.53	3.90	4.17	4.37	4.54	4.68	4.81	4.92	5.01	5.10	5.18	5.25	5.32	5.38	5.44	5.49	5.55	5.59	
30	2.89	3.49	3.85	4.10	4.30	4.46	4.60	4.72	4.82	4.92	5.00	5.08	5.15	5.21	5.27	5.33	5.38	5.43	5.47	
40	2.86	3.44	3.79	4.04	4.23	4.39	4.52	4.63	4.73	4.82	4.90	4.98	5.04	5.11	5.16	5.22	5.27	5.31	5.36	
60	2.83	3.40	3.74	3.98	4.16	4.31	4.44	4.55	4.65	4.73	4.81	4.88	4.94	5.00	5.06	5.11	5.15	5.20	5.24	
120	2.80	3.36	3.68	3.92	4.10	4.24	4.36	4.47	4.56	4.64	4.71	4.78	4.84	4.90	4.95	5.00	5.04	5.09	5.13	
∞	2.77	3.31	3.63	3.86	4.03	4.17	4.29	4.39	4.47	4.55	4.62	4.68	4.74	4.80	4.85	4.89	4.93	4.97	5.01	

(table continued)

TABLE A.10 (concluded)

Entry is $q_{.01}$

v	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	90.0	135	164	186	202	216	227	237	246	253	260	266	272	277	282	286	290	294	298
2	14.0	19.0	22.3	24.7	26.6	28.2	29.5	30.7	31.7	32.6	33.4	34.1	34.8	35.4	36.0	36.5	37.0	37.5	37.9
3	8.26	10.6	12.2	13.3	14.2	15.0	15.6	16.2	16.7	17.1	17.5	17.9	18.2	18.5	18.8	19.1	19.3	19.5	19.8
4	6.51	8.12	9.17	9.96	10.6	11.1	11.5	11.9	12.3	12.6	12.8	13.1	13.3	13.5	13.7	13.9	14.1	14.2	14.4
5	5.70	6.97	7.80	8.42	8.91	9.32	9.67	9.97	10.2	10.5	10.7	10.9	11.1	11.2	11.4	11.6	11.7	11.8	11.9
6	5.24	6.33	7.03	7.56	7.97	8.32	8.61	8.87	9.10	9.30	9.49	9.65	9.81	9.95	10.1	10.2	10.3	10.4	10.5
7	4.95	5.92	6.54	7.01	7.37	7.68	7.94	8.17	8.37	8.55	8.71	8.86	9.00	9.12	9.24	9.35	9.46	9.55	9.65
8	4.74	5.63	6.20	6.63	6.96	7.24	7.47	7.68	7.87	8.03	8.18	8.31	8.44	8.55	8.66	8.76	8.85	8.94	9.03
9	4.60	5.43	5.96	6.35	6.66	6.91	7.13	7.32	7.49	7.65	7.78	7.91	8.03	8.13	8.23	8.32	8.41	8.49	8.57
10	4.48	5.27	5.77	6.14	6.43	6.67	6.87	7.05	7.21	7.36	7.48	7.60	7.71	7.81	7.91	7.99	8.07	8.15	8.22
11	4.39	5.14	5.62	5.97	6.25	6.48	6.67	6.84	6.99	7.13	7.25	7.36	7.46	7.56	7.65	7.73	7.81	7.88	7.95
12	4.32	5.04	5.50	5.84	6.10	6.32	6.51	6.67	6.81	6.94	7.06	7.17	7.26	7.36	7.44	7.52	7.59	7.66	7.73
13	4.26	4.96	5.40	5.73	5.98	6.19	6.37	6.53	6.67	6.79	6.90	7.01	7.10	7.19	7.27	7.34	7.42	7.48	7.55
14	4.21	4.89	5.32	5.63	5.88	6.08	6.26	6.41	6.54	6.66	6.77	6.87	6.96	7.05	7.12	7.20	7.27	7.33	7.39
15	4.17	4.83	5.25	5.56	5.80	5.99	6.16	6.31	6.44	6.55	6.66	6.76	6.84	6.93	7.00	7.07	7.14	7.20	7.26
16	4.13	4.78	5.19	5.49	5.72	5.92	6.08	6.22	6.35	6.46	6.56	6.66	6.74	6.82	6.90	6.97	7.03	7.09	7.15
17	4.10	4.74	5.14	5.43	5.66	5.85	6.01	6.15	6.27	6.38	6.48	6.57	6.66	6.73	6.80	6.87	6.94	7.00	7.05
18	4.07	4.70	5.09	5.38	5.60	5.79	5.94	6.08	6.20	6.31	6.41	6.50	6.58	6.65	6.72	6.79	6.85	6.91	6.96
19	4.05	4.67	5.05	5.33	5.55	5.73	5.89	6.02	6.14	6.25	6.34	6.43	6.51	6.58	6.65	6.72	6.78	6.84	6.89
20	4.02	4.64	5.02	5.29	5.51	5.69	5.84	5.97	6.09	6.19	6.29	6.37	6.45	6.52	6.59	6.65	6.71	6.76	6.82
24	3.96	4.54	4.91	5.17	5.37	5.54	5.69	5.81	5.92	6.02	6.11	6.19	6.26	6.33	6.39	6.45	6.51	6.56	6.61
30	3.89	4.45	4.80	5.05	5.24	5.40	5.54	5.65	5.76	5.85	5.93	6.01	6.08	6.14	6.20	6.26	6.31	6.36	6.41
40	3.82	4.37	4.70	4.93	5.11	5.27	5.39	5.50	5.60	5.69	5.77	5.84	5.90	5.96	6.02	6.07	6.12	6.17	6.21
60	3.76	4.28	4.60	4.82	4.99	5.13	5.25	5.36	5.45	5.53	5.60	5.67	5.73	5.79	5.84	5.89	5.93	5.98	6.02
120	3.70	4.20	4.50	4.71	4.87	5.01	5.12	5.21	5.30	5.38	5.44	5.51	5.56	5.61	5.66	5.71	5.75	5.79	5.83
∞	3.64	4.12	4.40	4.60	4.76	4.88	4.99	5.08	5.16	5.23	5.29	5.35	5.40	5.45	5.49	5.54	5.57	5.61	5.65

Source: Henry Scheffe, *The Analysis of Variance*, pp. 414–16, ©1959 by John Wiley & Sons, Inc. Reprinted by permission of John Wiley & Sons, Inc.

TABLE A. 11 Critical Values for the Durbin-Watson *d* Statistic ($\alpha = .05$)

<i>n</i>	<i>k</i> = 1		<i>k</i> = 2		<i>k</i> = 3		<i>k</i> = 4		<i>k</i> = 5	
	<i>d</i> _{L,.05}	<i>d</i> _{U,.05}	<i>d</i> _{L,.05}	<i>d</i> _{U,.05}	<i>d</i> _{L,.05}	<i>d</i> _{U,.05}	<i>d</i> _{L,.05}	<i>d</i> _{U,.05}	<i>d</i> _{L,.05}	<i>d</i> _{U,.05}
15	1.08	1.36	0.95	1.54	0.82	1.75	0.69	1.97	0.56	2.21
16	1.10	1.37	0.98	1.54	0.86	1.73	0.74	1.93	0.62	2.15
17	1.13	1.38	1.02	1.54	0.90	1.71	0.78	1.90	0.67	2.10
18	1.16	1.39	1.05	1.53	0.93	1.69	0.82	1.87	0.71	2.06
19	1.18	1.40	1.08	1.53	0.97	1.68	0.86	1.85	0.75	2.02
20	1.20	1.41	1.10	1.54	1.00	1.68	0.90	1.83	0.79	1.99
21	1.22	1.42	1.13	1.54	1.03	1.67	0.93	1.81	0.83	1.96
22	1.24	1.43	1.15	1.54	1.05	1.66	0.96	1.80	0.86	1.94
23	1.26	1.44	1.17	1.54	1.08	1.66	0.99	1.79	0.90	1.92
24	1.27	1.45	1.19	1.55	1.10	1.66	1.01	1.78	0.93	1.90
25	1.29	1.45	1.21	1.55	1.12	1.66	1.04	1.77	0.95	1.89
26	1.30	1.46	1.22	1.55	1.14	1.65	1.06	1.76	0.98	1.88
27	1.32	1.47	1.24	1.56	1.16	1.65	1.08	1.75	1.01	1.86
28	1.33	1.48	1.26	1.56	1.18	1.65	1.10	1.75	1.03	1.85
29	1.34	1.48	1.27	1.56	1.20	1.65	1.12	1.74	1.05	1.84
30	1.35	1.49	1.28	1.57	1.21	1.65	1.14	1.74	1.07	1.83
31	1.36	1.50	1.30	1.57	1.23	1.65	1.16	1.74	1.09	1.83
32	1.37	1.50	1.31	1.57	1.24	1.65	1.18	1.73	1.11	1.82
33	1.38	1.51	1.32	1.58	1.26	1.65	1.19	1.73	1.13	1.81
34	1.39	1.51	1.33	1.58	1.27	1.65	1.21	1.73	1.15	1.81
35	1.40	1.52	1.34	1.58	1.28	1.65	1.22	1.73	1.16	1.80
36	1.41	1.52	1.35	1.59	1.29	1.65	1.24	1.73	1.18	1.80
37	1.42	1.53	1.36	1.59	1.31	1.66	1.25	1.72	1.19	1.80
38	1.43	1.54	1.37	1.59	1.32	1.66	1.26	1.72	1.21	1.79
39	1.43	1.54	1.38	1.60	1.33	1.66	1.27	1.72	1.22	1.79
40	1.44	1.54	1.39	1.60	1.34	1.66	1.29	1.72	1.23	1.79
45	1.48	1.57	1.43	1.62	1.38	1.67	1.34	1.72	1.29	1.78
50	1.50	1.59	1.46	1.63	1.42	1.67	1.38	1.72	1.34	1.77
55	1.53	1.60	1.49	1.64	1.45	1.68	1.41	1.72	1.38	1.77
60	1.55	1.62	1.51	1.65	1.48	1.69	1.44	1.73	1.41	1.77
65	1.57	1.63	1.54	1.66	1.50	1.70	1.47	1.73	1.44	1.77
70	1.58	1.64	1.55	1.67	1.52	1.70	1.49	1.74	1.46	1.77
75	1.60	1.65	1.57	1.68	1.54	1.71	1.51	1.74	1.49	1.77
80	1.61	1.66	1.59	1.69	1.56	1.72	1.53	1.74	1.51	1.77
85	1.62	1.67	1.60	1.70	1.57	1.72	1.55	1.75	1.52	1.77
90	1.63	1.68	1.61	1.70	1.59	1.73	1.57	1.75	1.54	1.78
95	1.64	1.69	1.62	1.71	1.60	1.73	1.58	1.75	1.56	1.78
100	1.65	1.69	1.63	1.72	1.61	1.74	1.59	1.76	1.57	1.78

Source: J. Durbin and G. S. Watson, "Testing for Serial Correlation in Least Squares Regression, II," *Biometrika* 30 (1951), pp. 159-78. Reproduced by permission of the Biometrika Trustees.

TABLE A. 12 Critical Values for the Durbin-Watson *d* Statistic ($\alpha = .025$)

<i>n</i>	<i>k</i> = 1		<i>k</i> = 2		<i>k</i> = 3		<i>k</i> = 4		<i>k</i> = 5	
	<i>d</i> _{L,.025}	<i>d</i> _{U,.025}	<i>d</i> _{L,.025}	<i>d</i> _{U,.025}	<i>d</i> _{L,.025}	<i>d</i> _{U,.025}	<i>d</i> _{L,.025}	<i>d</i> _{U,.025}	<i>d</i> _{L,.025}	<i>d</i> _{U,.025}
15	0.95	1.23	0.83	1.40	0.71	1.61	0.59	1.84	0.48	2.09
16	0.98	1.24	0.86	1.40	0.75	1.59	0.64	1.80	0.53	2.03
17	1.01	1.25	0.90	1.40	0.79	1.58	0.68	1.77	0.57	1.98
18	1.03	1.26	0.93	1.40	0.82	1.56	0.72	1.74	0.62	1.93
19	1.06	1.28	0.96	1.41	0.86	1.55	0.76	1.72	0.66	1.90
20	1.08	1.28	0.99	1.41	0.89	1.55	0.79	1.70	0.70	1.87
21	1.10	1.30	1.01	1.41	0.92	1.54	0.83	1.69	0.73	1.84
22	1.12	1.31	1.04	1.42	0.95	1.54	0.86	1.68	0.77	1.82
23	1.14	1.32	1.06	1.42	0.97	1.54	0.89	1.67	0.80	1.80
24	1.16	1.33	1.08	1.43	1.00	1.54	0.91	1.66	0.83	1.79
25	1.18	1.34	1.10	1.43	1.02	1.54	0.94	1.65	0.86	1.77
26	1.19	1.35	1.12	1.44	1.04	1.54	0.96	1.65	0.88	1.76
27	1.21	1.36	1.13	1.44	1.06	1.54	0.99	1.64	0.91	1.75
28	1.22	1.37	1.15	1.45	1.08	1.54	1.01	1.64	0.93	1.74
29	1.24	1.38	1.17	1.45	1.10	1.54	1.03	1.63	0.96	1.73
30	1.25	1.38	1.18	1.46	1.12	1.54	1.05	1.63	0.98	1.73
31	1.26	1.39	1.20	1.47	1.13	1.55	1.07	1.63	1.00	1.72
32	1.27	1.40	1.21	1.47	1.15	1.55	1.08	1.63	1.02	1.71
33	1.28	1.41	1.22	1.48	1.16	1.55	1.10	1.63	1.04	1.71
34	1.29	1.41	1.24	1.48	1.17	1.55	1.12	1.63	1.06	1.70
35	1.30	1.42	1.25	1.48	1.19	1.55	1.13	1.63	1.07	1.70
36	1.31	1.43	1.26	1.49	1.20	1.56	1.15	1.63	1.09	1.70
37	1.32	1.43	1.27	1.49	1.21	1.56	1.16	1.62	1.10	1.70
38	1.33	1.44	1.28	1.50	1.23	1.56	1.17	1.62	1.12	1.70
39	1.34	1.44	1.29	1.50	1.24	1.56	1.19	1.63	1.13	1.69
40	1.35	1.45	1.30	1.51	1.25	1.57	1.20	1.63	1.15	1.69
45	1.39	1.48	1.34	1.53	1.30	1.58	1.25	1.63	1.21	1.69
50	1.42	1.50	1.38	1.54	1.34	1.59	1.30	1.64	1.26	1.69
55	1.45	1.52	1.41	1.56	1.37	1.60	1.33	1.64	1.30	1.69
60	1.47	1.54	1.44	1.57	1.40	1.61	1.37	1.65	1.33	1.69
65	1.49	1.55	1.46	1.59	1.43	1.62	1.40	1.66	1.36	1.69
70	1.51	1.57	1.48	1.60	1.45	1.63	1.42	1.66	1.39	1.70
75	1.53	1.58	1.50	1.61	1.47	1.64	1.45	1.67	1.42	1.70
80	1.54	1.59	1.52	1.62	1.49	1.65	1.47	1.67	1.44	1.70
85	1.56	1.60	1.53	1.63	1.51	1.65	1.49	1.68	1.46	1.71
90	1.57	1.61	1.55	1.64	1.53	1.66	1.50	1.69	1.48	1.71
95	1.58	1.62	1.56	1.65	1.54	1.67	1.52	1.69	1.50	1.71
100	1.59	1.63	1.57	1.65	1.55	1.67	1.53	1.70	1.51	1.72


Source: J. Durbin and G. S. Watson, "Testing for Serial Correlation in Least Squares Regression, II," *Biometrika* 30 (1951), pp. 159-78. Reproduced by permission of the Biometrika Trustees.

TABLE A.13 Critical Values for the Durbin-Watson *d* Statistic ($\alpha = .01$)

<i>n</i>	<i>k</i> = 1		<i>k</i> = 2		<i>k</i> = 3		<i>k</i> = 4		<i>k</i> = 5	
	<i>d</i> _{L,.01}	<i>d</i> _{U,.01}	<i>d</i> _{L,.01}	<i>d</i> _{U,.01}	<i>d</i> _{L,.01}	<i>d</i> _{U,.01}	<i>d</i> _{L,.01}	<i>d</i> _{U,.01}	<i>d</i> _{L,.01}	<i>d</i> _{U,.01}
15	0.81	1.07	0.70	1.25	0.59	1.46	0.49	1.70	0.39	1.96
16	0.84	1.09	0.74	1.25	0.63	1.44	0.53	1.66	0.44	1.90
17	0.87	1.10	0.77	1.25	0.67	1.43	0.57	1.63	0.48	1.85
18	0.90	1.12	0.80	1.26	0.71	1.42	0.61	1.60	0.52	1.80
19	0.93	1.13	0.83	1.26	0.74	1.41	0.65	1.58	0.56	1.77
20	0.95	1.15	0.86	1.27	0.77	1.41	0.68	1.57	0.60	1.74
21	0.97	1.16	0.89	1.27	0.80	1.41	0.72	1.55	0.63	1.71
22	1.00	1.17	0.91	1.28	0.83	1.40	0.75	1.54	0.66	1.69
23	1.02	1.19	0.94	1.29	0.86	1.40	0.77	1.53	0.70	1.67
24	1.04	1.20	0.96	1.30	0.88	1.41	0.80	1.53	0.72	1.66
25	1.05	1.21	0.98	1.30	0.90	1.41	0.83	1.52	0.75	1.65
26	1.07	1.22	1.00	1.31	0.93	1.41	0.85	1.52	0.78	1.64
27	1.09	1.23	1.02	1.32	0.95	1.41	0.88	1.51	0.81	1.63
28	1.10	1.24	1.04	1.32	0.97	1.41	0.90	1.51	0.83	1.62
29	1.12	1.25	1.05	1.33	0.99	1.42	0.92	1.51	0.85	1.61
30	1.13	1.26	1.07	1.34	1.01	1.42	0.94	1.51	0.88	1.61
31	1.15	1.27	1.08	1.34	1.02	1.42	0.96	1.51	0.90	1.60
32	1.16	1.28	1.10	1.35	1.04	1.43	0.98	1.51	0.92	1.60
33	1.17	1.29	1.11	1.36	1.05	1.43	1.00	1.51	0.94	1.59
34	1.18	1.30	1.13	1.36	1.07	1.43	1.01	1.51	0.95	1.59
35	1.19	1.31	1.14	1.37	1.08	1.44	1.03	1.51	0.97	1.59
36	1.21	1.32	1.15	1.38	1.10	1.44	1.04	1.51	0.99	1.59
37	1.22	1.32	1.16	1.38	1.11	1.45	1.06	1.51	1.00	1.59
38	1.23	1.33	1.18	1.39	1.12	1.45	1.07	1.52	1.02	1.58
39	1.24	1.34	1.19	1.39	1.14	1.45	1.09	1.52	1.03	1.58
40	1.25	1.34	1.20	1.40	1.15	1.46	1.10	1.52	1.05	1.58
45	1.29	1.38	1.24	1.42	1.20	1.48	1.16	1.53	1.11	1.58
50	1.32	1.40	1.28	1.45	1.24	1.49	1.20	1.54	1.16	1.59
55	1.36	1.43	1.32	1.47	1.28	1.51	1.25	1.55	1.21	1.59
60	1.38	1.45	1.35	1.48	1.32	1.52	1.28	1.56	1.25	1.60
65	1.41	1.47	1.38	1.50	1.35	1.53	1.31	1.57	1.28	1.61
70	1.43	1.49	1.40	1.52	1.37	1.55	1.34	1.58	1.31	1.61
75	1.45	1.50	1.42	1.53	1.39	1.56	1.37	1.59	1.34	1.62
80	1.47	1.52	1.44	1.54	1.42	1.57	1.39	1.60	1.36	1.62
85	1.48	1.53	1.46	1.55	1.43	1.58	1.41	1.60	1.39	1.63
90	1.50	1.54	1.47	1.56	1.45	1.59	1.43	1.61	1.41	1.64
95	1.51	1.55	1.49	1.57	1.47	1.60	1.45	1.62	1.42	1.64
100	1.52	1.56	1.50	1.58	1.48	1.60	1.46	1.63	1.44	1.65

Source: J. Durbin and G. S. Watson, "Testing for Serial Correlation in Least Squares Regression, II," *Biometrika* 30 (1951), pp. 159-78. Reproduced by permission of the Biometrika Trustees.

TABLE A.14 A Table of Areas under the Standard Normal Curve



<i>z</i>	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
0.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714	.0753
0.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
0.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406	.1443	.1480	.1517
0.4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844	.1879
0.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2224
0.6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2517	.2549
0.7	.2580	.2611	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852
0.8	.2881	.2910	.2939	.2967	.2995	.3023	.3051	.3078	.3106	.3133
0.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
2.1	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4971	.4972	.4974
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4978	.4979	.4980	.4981
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986
3.0	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990

Source: A. Hald, *Statistical Tables and Formulas* (New York: Wiley, 1952), abridged from Table 1. Reproduced by permission of the publisher.